

Facility Support Services

Environmental & Safety/Health Consulting

Phase I Environmental Site Assessment



**Pawcatuck Neighborhood Center
27 Chase Street
Pawcatuck, Connecticut**

PREPARED FOR:

Town of Stonington, Community Development
152 Elm Street
Stonington, CT 06378

PREPARED BY:

Facility Support Services.
2685 State Street
Hamden, Connecticut 06517
Phone (203) 288-1281

March 6, 2006
FSS Project # 28105

SIGNATURES OF REPORT AUTHORS

The employees of Facility Support Services whose names appear below prepared this report.

Requests for information on the content of this document should be directed to these individuals.

Gerald B. Gigliotti, LEP

Senior Project Manager

TABLE OF CONTENTS

Section	Page
1.0 INTRODUCTION	1
1.1 Purpose.....	1
1.2 Client.....	1
1.3 Background.....	1
1.4 Previous Environmental Investigations	2
2.0 SITE OVERVIEW.....	3
2.1 Site Information	3
2.2 Potential Receptors and Environmentally Sensitive Aspects	4
2.3 Physiographic, Geologic, and Hydrogeologic Setting	5
3.0 SITE HISTORY.....	7
3.1 City Directories.....	7
3.2 Chain of Title	7
3.3 Other Reported Former Uses	7
3.4 Historic Aerial Photographs.....	8
4.0 REGULATORY COMPLIANCE HISTORY	9
4.1 General.....	9
4.2 Review of Federal, State and Local Regulatory Information	9
4.3 Transfer Act Assessment	11
5.0 SITE FEATURES.....	12
5.1 Site Buildings, Roadways, and Parking Areas.....	12
5.2 Water Supply	12
5.3 Sources of Wastewater and Material Handling	13
6.0 SITE WALKOVER SURVEY	15
6.1 Investigators/Site Conditions.....	15
6.2 Observed Activities.....	15
6.3 Indicators of Contamination	15
7.0 ADDITIONAL TESTING.....	17
8.0 SUMMARY OF FINDINGS	19
9.0 CONCLUSIONS/RECOMMENDATIONS.....	21
10.0 LIMITATIONS ON WORK.....	23
11.0 REFERENCES	24

Table of Contents (continued)

Figures

Figure 1 Site Location

Figure 2 Site Plan

Appendices

Appendix A Supporting Documents

Appendix B Photographs

Appendix C Interviews

Appendix D EDR Database Search Report

Appendix E Additional Testing Data

Appendix F Site

Limitations

1.0 INTRODUCTION

1.1 Purpose

Facility Support Services (FSS) was retained by Mr. Mark Comeau of the Town of Stonington Community Development Department to conduct a Phase I Environmental Site Assessment (ESA) of the property known as 27 Chase Street, Pawcatuck, Connecticut (referred to in this report as the "Site"). The site is currently known and used as the Pawcatuck Neighborhood Center. The purpose of this investigation was to determine the existence of potential environmental concerns associated with the subject property for the purpose of a grant application for funds to construct an addition to the building. A Senior Citizens Annex is currently proposed as an addition to the south end of the existing structure. Additional tasks were conducted to include testing for lead paint, asbestos containing building materials (ACBM), radon and mold.

1.2 Client

Mr. Mark Comeau
Town of Stonington, Community Development
152 Elm Street
Stonington, Connecticut 06378

1.3 Background

Site Address:	27 Chase Street, Pawcatuck, Connecticut
Owner of Record:	Town of Stonington
Date of Ownership:	06/25/1982
Present Land Use:	The site is the location of the Pawcatuck Neighborhood Center.
Proposed Land Use:	An addition is proposed to be used as the Pawcatuck Senior Center.

1.4 Previous Environmental Investigations

No previous investigations were identified or reported.

2.0 SITE OVERVIEW

2.1 Site Information

City Assessor Office

The subject property is located at 27 Chase Street, Pawcatuck, Connecticut, and consists of approximately 2.2 acres located at the end of the street. The Town of Pawcatuck Assessors Office identifies the subject property as Map ID 4/5/10. The average length of the lot is 550 feet in the north-south orientation and has an average width of approximately 150 feet. The Assessor's field card describes the property as being developed as a community center located in a two story brick veneer and vinyl sided building (Appendix A). The building's interior walls are composed of drywall/sheetrock. Oil heat and central air conditioning is indicated. The Assessors field card notes the building as 40 by 100 feet in area. A 20 by 40 addition is indicated by building permit dated December 2, 1998. See Figure 2 for the Site Plan.

Ground Covering and Vegetation

Site observations indicate that the Site ground surface included an asphalt driveway around the building with an asphalt parking lot to the east of the building. Other areas of the site were mainly covered by grass lawn. A dirt parking area is located to the south of the building.

Local and Adjacent Use

According to the Town of Stonington Zoning Map, the subject site is located in an LS-5 zone. The purpose of an LS-5 zone is for small lot business in built up areas to provide a full range of services to residences in the area. The subject site is surrounded by the following land uses:

North:	Residential and Commercial.
East:	Active railroad track use (Amtrak), then generally residential.
West:	Residential.
South:	Residential.

The site is abutted to the northeast by a vacant undeveloped lot owned by the Thavanet Machine/Grinding Shop. The undeveloped lot is approximately 180 feet long and is situated between the site and the actual location of the Thavanet shop. According to a 1976 Connecticut Department of Environmental Protection (CTDEP) P5 Industrial Survey Report the Thavanet Shop was established in 1928. They were reported to generate metal chip waste covered with turning oil. The volume of waste oil was estimated as five gallons per year. It is a small operation. The Fire Marshal was not aware of any environmental issues at the Thavanet Shop site. The Card Chevrolet Automobile Dealership is located on the corner of West Broad Street and Chase Street and abuts the Thavanet Machine/Grinding Shop. These sites are located topographically down gradient from the Pawcatuck Neighborhood Center.

2.2 Potential Receptors and Environmentally Sensitive Aspects

Ground Water Use and Classification

The site is assigned to ground water class GB by the State of Connecticut Department of Environmental Protection (CTDEP). GB Class waters are located in a highly urbanized area or an area of intense industrial activity and where public water supply service is available. Such ground water may not be suitable for direct human consumption without treatment due to waste discharges, spills or leaks of chemicals or land use impacts.

The site and surrounding areas to the north, south and west of the Pawcatuck River are situated upon a United States Environmental Protection Agency (EPA) Designated Sole Source Aquifer.

A public water supply well is located approximately one quarter mile northeast of the site proximal to the intersection of West Broad Street and State Highway 2.

Surface Water Distances, Uses, and Classification

The nearest surface water body is the Pawcatuck River, which is located approximately 650 feet to the east of the Site. The Pawcatuck River is assigned to Surface Water Class SC/SB. SB Class waters are designated for habitat for marine fish, other aquatic life and wildlife; commercial

shellfish harvesting; recreation; industrial water supply; and navigation. The SC/SB Classification indicates this surface water body may not be meeting Class SB criteria or designated uses. The water quality goal is the achievement of Class SB criteria and designated uses.

Flood Maps

According to the Flood Insurance Rate Map 0901060017F the subject property is located in Zone C which is considered as an area of minimal flooding.

Inland Wetlands/Coastal Management

Wetlands were not observed on site or indicated on the Town of Pawcatuck Wetland Map.

Threatened and Endangered Species

The CTDEP Natural Diversity Map was reviewed to determine the presence of any threatened or endangered species on the subject property. The subject site was not mapped for any threatened or endangered species and is not an area of special concern.

2.3 *Physiographic, Geologic, and Hydrogeologic Setting*

Site Topography and Soils

As interpreted from United States Geologic Survey (USGS) topographic mapping of the Watch Hill Quadrangle, the site is approximately 25 feet above mean sea level and slopes moderately to the north and east.

According to CTDEP Surficial Materials Map Of Connecticut (1992), the subject property contains areas of sand and gravel overlying sand; sand and gravel is generally less than 20 feet thick, horizontally bedded, and overlies thicker inclined layers of sand (deltaic deposits).

The site building is constructed into the side of a hill. The surface slopes slightly down towards the second floor level at the rear (west side) of the building and is approximately fifteen feet

higher than the east side of the building. The south end of the site is approximately fifteen feet higher than the front of the building.

Bedrock Geology

According to the USGS Bedrock Geological Map of Connecticut (1985), the bedrock geology in this area is the Rope Ferry Gneiss – a light to dark medium to fine grained gneiss.

Inferred Direction of Ground Water Movement

Ground water flow is influenced by a number of factors, including aquifer type, depth to bedrock, and topographic slope. Generally, for unconfined aquifers developed in unconsolidated deposits, ground water flows in the direction of greatest topographic slope. Therefore the site groundwater flow is assumed to be east to northeast toward the Pawcatuck River.

3.0 SITE HISTORY

3.1 City Directories

City Directories for Pawcatuck were not available at the Connecticut State Library on the date of the file review. Very good first hand information was available for former site use from other sources and is detailed below in the appropriate sections of the report.

3.2 Chain of Title

The following chain of title was determined based upon research performed at the Assessor's Office in the Town of Stonington:

Deed Vol. & Page	Date of Transfer	Name of Grantors	Name of Grantees
235/527	6/25/1982	Louis Thavanet, Jr.	Town of Stonington

3.3 Other Reported Former Uses

Information concerning site history and use was obtained from interviews detailed below or listed in Appendix B. According to the Town of Stonington records and historical documentation, the Pawcatuck Neighborhood Center was built in 1983. Prior use was as an undeveloped lot. An addition was made to the north end of the building in 1999. Mr. Thomas Long of the Pawcatuck Fire Department has lived in the immediate vicinity of the site for his entire life and reported that the site had no developed use prior to becoming the Neighborhood Center. Mr. Robert Granato, who was the site contact, reported he has lived in the neighborhood since circa 1960 and confirmed this report.

Mr. Louis Thavanet owner/operator of the Thavanet Machine Shop and the grantor of the property to the Town of Stonington reported he purchased the site approximately thirty years ago from a Mr. Skarow. Mr. Skarow parked school buses on the property and rented space from Mr. Thavanet's Machine Shop for school bus maintenance. Mr. Thavanet reported that his grandfather started the Machine Shop business circa 1927. Mr. Thavanet reported that some dumping had occurred on the rear, south, part of the property from the adjoining residences and

that the rear of the site had been built up with fill to give the site the current uneven appearance rather than as a result of quarry activity.

Other sources indicated the site had been used to stage cobbles, gravel and sand for the mixing of concrete to repair a nearby viaduct damaged by hurricane Carol in 1954.

3.4 *Historic Aerial Photographs*

Historic Aerial Photographs were reviewed at the Connecticut State Library as described below.

1934 – The site appears as undeveloped land. Some unidentifiable objects are visible across the site.

1951, 1965, 1970, 1975 and 1980 – The site is undeveloped. A dirt road is present on the site. There are no obvious unidentifiable objects present.

1985 through 1996 - The original site building is present. No unusual features or indicators of contamination appear to be present.

4.0 REGULATORY COMPLIANCE HISTORY

4.1 General

As part of the environmental site assessment (ESA), several sources were reviewed, including the Town of Pawcatuck files, Federal database files and CTDEP database files. A monthly updated environmental database library compiled by Environmental Database Resources, Inc (EDR) was utilized to supplement the Town of Hamden, and CTDEP file searches. The purpose of this search was to ascertain any record of hazardous substance use, release or waste occurrences on the subject property or adjacent properties. (This ESA is not a regulatory compliance audit, and is not designed or intended for such use.)

See Appendix C for complete EDR Report.

4.2 Review of Federal, State and Local Regulatory Information

The EDR report contains the complete list of databases searched and glossary of database acronyms. Sites, which were listed at equal or higher elevation to the subject property, are mapped in the EDR report and described below as applicable.

The Site was not listed in any of the databases searched by EDR.

EPA National Priority List, EPA Corrective Action, and State Hazardous Waste (SHW) Sites -

No EPA NPL, Corrective Action or SHW sites were mapped through EDR's search.

EPA CERCLIS, RCRA TSD, State Solid Waste Landfills

No EPA CERCLIS sites were identified by EDR within a one mile radius.

No RCRA TSD sites were identified by EDR within a one mile radius.

No State Solid Waste Landfill sites were listed by EDR within a one mile radius.

State Leaking Underground Storage Tanks (LUST)

No State LUST sites were mapped by EDR within a one mile radius.

State UST/ AST

These databases were searched by EDR within a 1/2 mile radius of the target site. Five underground storage tank (UST) sites were identified by EDR within approximately 1/2 mile of the site. None of the sites appeared to be located to the south or west up gradient directions within respect to the site.

No State AST sites were identified by EDR within a 1/2 mile radius of the site.

State Discovery Assessment Data Base

One SDADB list site was identified by EDR within a one mile radius of the site. Douglas-Randall, Inc. is located approximately 1,453 ft southeast of the site in the down gradient direction.

Leachate and Waste Water Discharge Inventory Data Layer

A review of the LWDS list, as provided by EDR, has revealed that there are four LWDS sites within approximately one mile of the target property at a lower elevation than the site.

EPA RCRA Violations, EPA Toxic Release Inventory

Review of EDR reports and CTDEP files show no records of EPA RCRA violations or hazardous waste generation or EPA Toxic Release Inventory for the site.

EPA Emergency Response, EPA RCRA Generators, State Spills

The Connecticut Department of Environmental Protection CTDEP did not have any records of spills on, or proximal to the subject site.

Hazardous Waste Disposal

No records of hazardous waste generation were identified in the EDR report or through the CTDEP file review.

4.3 Transfer Act Assessment

The Transfer Act, Connecticut General Statutes §22a-134 et seq., applies to the transfer of an “establishment”. “Establishment” is defined as “any real property at which or any business operation from which (A) on or after November 19, 1980, there was generated, except as the result of remediation of polluted soil, groundwater or sediment, more than one hundred kilograms of hazardous waste in any one month, (B) hazardous waste generated at a different location was recycled, reclaimed, reused, stored, handled, treated, transported or disposed of, (C) the process of dry cleaning was conducted on or after May 1, 1967, (D) furniture stripping was conducted on or after May 1, 1967, or (E) a vehicle body repair facility was located on or after May 1, 1967.” If the Transfer Act applies to a transaction, the statute requires that a form filing must be made with the DEP and all releases of hazardous wastes and hazardous substances must be investigated in accordance with prevailing standards and guidelines and remediated in accordance with the Department of Environmental Protection Remediation Standard Regulations (“RSRs”).

Based upon a review of available environmental and historical records researched for this assessment the subject property does not meet the definition of an “Establishment”.

5.0 SITE FEATURES

5.1 Site Buildings, Roadways, and Parking Areas

The subject property is located at 27 Chase Street, Pawcatuck, CT. The site is developed with a 40 foot by 100 foot, two story building. The site includes a detached storage trailer on wheels used for the storage of furniture. A Good Will Clothing storage container is located on the south part of the site next to a dirt parking area. A four foot high chain link fence area is located on the south end of the site. It was formerly used as a children's playground for day school. A paved driveway passes around the building. A paved parking area is located opposite the front of the building. A vegetable garden is located on the northeast part of the site. A pile of topsoil is located next to the garden. Photographs of various site features are found in Appendix D.

Utilities

According to records of the Town of Pawcatuck Assessors Field Card, the subject property is supplied with all public utilities to include public water, sanitary sewer and natural gas. A propane tank was present on the north end of the building.

Heating Systems

The building is heated by an oil furnace located in the northwest corner of the building that is part of the 1998 addition. The original furnace is located in a utility room to the rear of the building opposite the main entrance.

Transformers and Capacitors

No pole mounted or pad mounted transformers were noted for the subject property.

5.2 Water Supply

Source of Domestic/Industrial Supply

The site building has always been served by public water supply.

Water Quality Problems

No water quality problems were reported for the subject site.

5.3 Sources of Wastewater and Material Handling

Catch Basins and Storm Sewers

Catch Basins and Storm Sewers are located in the parking lot. Visual inspection from the ground surface indicated they were connected by storm sewers. The discharge location was not determined, but is presumed to be the Town storm water system.

Floor Drains, Sumps, and Drywells

One floor drain was observed in the utility room located on the first floor. No sumps or drywells were indicated through interior/exterior site inspection or reported by the site contact. The utility room contains a slop sink and a hot water heater. The discharge location for the floor drain is presumed to be the sanitary sewer.

Solid Waste Generated

No unusual solid waste generation was observed or reported. Typical office wastes and leftover food from the serving of a public lunch are generated.

Chemical Waste Generated

No unusual chemical waste or waste generating processes were identified.

Drums/Containers

No drums were noted for the interior/exterior areas of the Site. Four five gallon plastic pails of floor finish and stripper were stored in the utility room. A floor buffer machine is also stored there as were glass/window cleaner and ice melt in retail size containers. Fluorescent light bulbs were also present.

Aboveground Storage Tanks

Two 275-gallon fuel oil Above Ground Storage Tanks (ASTs) were observed in the northwest corner of the first floor that is part of the 1998 addition.

Underground Storage Tanks

A 1,000 gallon UST was formerly located adjacent to the north side of the original building and was in use from 1983 to 1998. The Fire Marshal reports he was present at the time of the UST removal and that the UST was in very good condition with no evidence of leakage or soil contamination. The site contact reported that a small amount of oil was spilled from the fuel lines and that the impacted soil was removed. Review of CTDEP Underground Storage Tank (UST) files has revealed that there are no registered UST's on the Site.

6.0 SITE WALKOVER SURVEY

6.1 *Investigators/Site Conditions*

Date of Site Walkover: Thursday February 2, 2006.

Investigator(s): Gerald Gigliotti.

Weather Conditions: Sunny, 55⁰ F

Limiting Conditions: No roof access.

6.2 *Observed Activities*

A senior citizens aerobics class was in session. Food packages were being distributed to families from a pantry in the center of the first floor. Pots, pans, dry foods and used toys, games, old tools and clothing are stored in the south end of the first floor. A number of freezer chests are located in this area. A used clothing storage and distribution room is in the north end 1999 building addition and was open to the public. A public lunch is provided on Wednesday afternoon.

6.3 *Indicators of Contamination*

Odors

No odors were noted reported.

Surface Water Contamination

No surface waters were observed on the site.

Seeps/Leachates

There were no seeps or leachate breakouts observed or reported on the subject property during the site visit.

Unusual Topographic Features, Soil Disturbances, Evidence of Fill

The south and west side of the site is elevated relative to the rest of the site. It was reported that the south end of the site was historically a steep bank and was elevated with fill. The east abutter is an Amtrak railroad track that is elevated approximately 15 to 20 feet above the site opposite the site building. The northeast corner of the site near the garden may have received a thin layer of fill (approximately one foot) because it appeared slightly higher than the adjoining property.

Stressed Vegetation

No stressed vegetation was observed or reported.

Stained Surfaces

No areas of soil staining were observed or reported.

Construction Materials

Due to the age of the Site building (1983), the likelihood that construction materials include asbestos containing materials and lead painted surfaces is lower than buildings constructed prior to 1978 when lead based paint use in public buildings was discontinued.

7.0 ADDITIONAL TESTING

The results of additional testing for asbestos, lead paint, radon and mold are detailed below.

The sampling logs and laboratory reports are found in Appendix E.

Asbestos Sampling – Twenty one samples of building materials were collected from the upstairs activity room, the downstairs children's room, exterior roof and exterior gutter. Samples were analyzed using the polarized light microscopy method. All results were reported as not detected.

Lead Paint Testing – Eighteen chip samples of building materials were sampled and analyzed for lead paint content using the SW 846 3050B and 7420 methods. The chip sample of paint on the outside railing at the southwest building corner leading to the activity/cafeteria room was reported to contain lead at 0.73%, above the 0.5% concentration considered to be a lead based paint. The pink paint coated trim on the exterior of the building was reported to contain less than 10% lead. The elevated detection limit above the 0.5% criteria was related to analytical methods because of insufficient weight of sample. Therefore, it could not be concluded whether the sample was lead based paint or not. It is recommended that another sample of this paint be analyzed for lead paint concentration. Additional analysis will be needed prior to removal of the painted wood trim because a state of Connecticut certified lead paint abatement contractor is required to remove and handle lead based paint containing material.

Mold - Two samples of mold were collected for direct examination of particulates from tape samples using EMSL Method M041. One sample was collected from the utility room sheetrock wall. A temporary water leak from the furnace had wet the sheetrock and a black mold developed over an area approximately 2.5 feet by 2.5 feet in size. Any type of mold can cause asthma or allergy type symptoms in people who are sensitive or in the general population if present at high enough concentrations. It is recommended that the mold impacted sheetrock be removed and replaced with a new piece of sheetrock. Should the area have a relative humidity greater than 50% due to water leaks of any kind the mold will likely re-colonize.

Small black mold spores were noted on the exterior clapboards of the building. The mold should not be of concern to persons inside the building. The mold type is a very common outdoor mold typically associated with plants, leaves and wood. The mold can be removed with a bleach water mixture as necessary.

Radon – Two first floor basement locations were selected for radon sampling. One location toward the south end of the building near the dry food storage area was sampled and a second location was sampled in the utility room in the north end of the building. The maximum result was 2.0 pico-curies per liter of air (pCi/l). Remedial action is recommended if the radon in air concentration is equal to or exceeds 4.0 pCi/L. No further testing or remedial action was indicated by the results.

8.0 SUMMARY OF FINDINGS

- The subject property is located at 27 Chase Street, Pawcatuck, Connecticut, and covers approximately 2.20 acres. The site is developed with a two story 40 by 100 foot building constructed in 1983 and used as the Pawcatuck Neighborhood Center. Prior land use was undeveloped.
- The site has a history of undeveloped use prior to 1983 as the Pawcatuck Neighborhood Center. Other historic activities were reported to include dumping on the south end of the site, the staging of cobbles, sand and gravel for concrete mixing and school bus parking. The site is serviced by public water and sanitary sewer.
- The subject site was not listed on any of the State and Federal environmental databases searched for this assessment. No sites were found in close proximity to the Site that would raise a concern in regards to current or historic ground contamination impact to the site. The Thavanet Machine/Grinding Shop owns the northeast abutting, undeveloped wooded property and is located on the next parcel located approximately 200 feet away from the site in the down gradient direction. Local Fire Marshal and CTDEP records did not identify environmental concerns for the Thavanet Machine/Grinding Shop.
- Due to the age of the Site building (1983), the likelihood that construction materials include asbestos containing materials and lead painted surfaces is low.
- According to the U.S. Department of Housing and Urban Development, Flood Insurance Rate Map the site is located in a flood zone C, an area of minimal flooding and wetlands were not identified on the property.
- The site groundwater is assigned to ground water Class GB which indicated the site is located in an urbanized setting where public water supply is available. Ground water in a GB area is assumed to be degraded due to past activities and is assumed to not be suitable for human consumption without treatment.

- A UST was used on site for heating oil storage from the time of construction of the site building until removal in December 1998. According to the Fire Marshal there were no indications that the UST had leaked. The site contact reported that a small amount of heating oil escaped to the soil from the fuel line leading to the building. The soil was reported to have been collected and removed from the site. Confirmatory soil samples were not collected from the UST grave.
- Fill materials were reported to be present on the rear of the site and appeared to be present in limited quantity on the northeast corner of the property.
- Lead paint, asbestos containing building materials (ACBM), radon and mold samples were collected and analyzed. The ACBM sample results indicated the absence of asbestos containing materials. Radon results were acceptable and below recommended action levels. Mold was present in the existing oil storage tank room and on the exterior clapboard siding. Lead containing paint was identified on the hand railing for the rear entrance to the second floor exercise room. The pink painted exterior wood trim will need to be retested for lead paint concentration.
- Based on the information obtained and reviewed in this report, no documentation was found which indicates that the subject site meets the definition of an "Establishment" as defined by the State of Connecticut Transfer Act (Public Act No. 95-1160, "An Act Concerning Revision to the Hazardous Waste Establishment Transfer Act and Hazardous Waste Site Remediation").

9.0 CONCLUSIONS/RECOMMENDATIONS

The following conclusions and recommendations are given based upon the findings of this Phase I Environmental Assessment.

- No direct evidence of current, on-site releases of hazardous/regulated substances was found through this assessment and there were no properties located in close proximity to the subject site that raise concern in regards to either current or historical contamination of the site soil or ground water. Areas of concern were identified on the site that include a report of past dumping on the rear of the property, the presence of fill on the rear and the northeast areas of the property and the former use of an UST beneath the existing building addition. Additional Phase II testing of soil and ground water samples would be necessary to determine the potential presence or absence of impact to the site from these areas of concern. The former UST location is beneath the existing building addition and direct soil sampling is not practicable. It is noted that the site and surrounding area is served by public water and is assigned by CTDEP to ground water Class GB. Ground water in a GB area is assumed to be degraded due to past activities and is assumed to not be suitable for human consumption without treatment.
- Testing was performed for lead paint, asbestos containing building materials, radon and mold. The radon results were below the applicable criteria of 4.0 pCi/l and did not indicate the need for additional testing or remediation. The lead paint tests and asbestos samples were collected from the south end of the site building where a proposed addition would disturb existing building materials. The asbestos testing did not identify the presence of asbestos containing materials and no further testing was indicated by the data. The handrail attached to the rear, southwest corner of the building was determined to be coated with lead based paint (greater than 0.5%) and will need to be handled by a state of Connecticut certified lead paint abatement contractor. It is recommended that the pink trim on the south end of the building be retested to determine the lead paint concentration prior to removal. It is recommended that the mold growing on sheetrock in the

aboveground oil tank room be removed and replaced with new sheetrock. Mold can be power washed from the exterior siding as necessary with a chlorine/water mixture but was not determined to be necessary.

- Based on the information obtained and reviewed in this report, no documentation was found which indicates that the subject site meets the definition of an "Establishment" as defined by the State of Connecticut Transfer Act (Public Act No. 95-1160, "An Act Concerning Revision to the Hazardous Waste Establishment Transfer Act and Hazardous Waste Site Remediation").

10.0 LIMITATIONS ON WORK

Facility Support Services warrants that all work performed on this Project has conformed to the previously submitted written scope of work. FSS further warrants that all professional services were performed to the professional standards current at the time this work was performed, including but not limited to the form and content recommended for a Phase I Assessment as described in the State of Connecticut Department of Environmental Protection document "Transfer Act Site Assessment Guidance Document", dated September 1995, "Draft Site Characterization Document" dated June 2000 and ASTM Standards E-1527 and E-1528, dated 2000.

This site assessment was performed in accordance with generally accepted practices of other consultants undertaking similar studies at the same time and in the same geographical area, and FSS observed the degree of care and skill generally exercised by other consultants under similar circumstances and conditions. The assessment findings and conclusions must be considered not as scientific certainties, but rather as our professional opinion concerning the significance of the limited data gathered during the course of the environmental site assessment. No other warranty, expressed or implied, is made. Specifically, FSS does not and cannot represent that the Site contains no hazardous material, oil or other latent condition beyond that observed by FSS during its site assessment. This report is also subject to the specific limitations contained in Appendix E.

It should be noted that when an assessment is completed without subsurface explorations and chemical screening of soil and ground water beneath the site, no data could be generated regarding latent subsurface conditions, which may be the result of on-site or off-site sources.

This study and report was prepared on behalf of and for the exclusive use of the Mr. Joe Rubertone, solely for use in an environmental assessment of the Site. This report and the findings contained herein shall not, in whole or in part, be disseminated or conveyed to any other party, nor used by any other party in whole or in part, without the prior written consent of Mr. Joe Rubertone. However, FSS acknowledges and agrees that the Report may be conveyed to Mr. Joe Rubertone, and approved legal counsel. Aggregate Liability to those relying on our report is limited to the amount set forth by the limits of liability shown on the FSS Certificate of Insurance supplied to Mr. Joe Rubertone.

11.0 REFERENCES

"Watch Hill", 7.5 Minute Series, Topographic", 1967; photo-revised 1984; US Geologic Survey.

"Bedrock Geologic Map of Connecticut", 1985, The Connecticut Geological & Natural History Survey, CTDEP.

CTDEP Water Quality Classification Map for the Thames River, Pawcatuck River and Southeast Coastal Basins, Adopted December, 1986, Sheet 3 of 3.

U.S. Department of Housing and Urban Development, Flood Insurance Rate Map 0901060017F

Town of Pawcatuck, Designated Inland Wetland and Watercourses Map.

"Surficial Materials Map of Connecticut" Stone, Janet Radway; Schafer, John P., London, Elizabeth Haley, Thompson, Woodrow B., 1992.

"Atlas of Public Water Supply Sources and Drainage Basins of Connecticut", 1982, CTDEP, Resources Center.

"Water Quality Standards", CTDEP, Water Management Bureau, Surface Water Standards Effective December 17, 2002; revised April 12, 1996.

"Leachate and Wastewater Discharge Sources for, Connecticut", 1984, CTDEP, Water Compliance Unit.

Environmental Data Resources, Inc. (EDR). Federal and State Database Search (See Appendix B)

Town of Pawcatuck File Search:

- a. Assessor's Office
- b. City Deeds
- c. Fire Marshal's Office
- d. Engineering Department
- e. Planning and Zoning
- f. Building Department
- g. Sanitarian/Health Department

"Transfer Act Site Assessment Guidance Document", Revised November 1991, CTDEP.

"Transfer of Hazardous Waste Establishments", State of Connecticut Regulations
Sections 22a-134a to 22a-134d, as of 1/97.

"Standard Practice for Environmental Site Assessments", ASTM #1527-2000


CTDEP Draft "Site Characterization Guidance Document" June 2000

FIGURES

PHYSICAL SETTING SOURCE MAP - 01605074.1r



- | | | |
|--|--|------------------------------|
| County Boundary | Groundwater Flow Direction | EPA Designated Sole Src. Aq. |
| Major Roads | Indeterminate Groundwater Flow at Location | |
| Contour Lines | Groundwater Flow Varies at Location | |
| Airports | Closest Hydrogeological Data | |
| Earthquake epicenter, Richter 5 or greater | | |
| Water Wells | | |
| Public Water Supply Wells | | |
| Cluster of Multiple Icons | | |



SITE NAME: Senior Center Annex
ADDRESS: 27 Chase Street
 Pawcatuck CT 06379
LAT/LONG: 41 3749 / 71 9353


CLIENT: Facility Support Services
CONTACT: Gerry Gigliotti
INQUIRY #: 01605074.1r
DATE: February 01, 2006

Town of Stonington

Geographic Information System (GIS)



Date Printed: 02-Feb-2006




MAP DISCLAIMER - NOTICE OF LIABILITY

This map is for assessment purposes only. It is not for legal description or conveyances. All information is subject to verification by any user. The Town of Stonington and its mapping contractors assume no legal responsibility for the information contained herein.

Scale 1 inch = 100 feet





APPENDIX A
Supporting Documents

Property Location: 21 CHASE ST
 Vision ID 775

CONSTRUCTION DETAIL

Commercial Data Elements

Element	Cd	Ch.	Description	Element	Cd	Ch.	Description
Style/Type	77		Class/ Lodges	Heat & AC	D2		HEAT/AC SPLIT
Model	94		Commercial	Frame Type	D2		WOOD FRAME
Grade	05		Average +20	Baths/Plumbing	D2		AVERAGE
Stories	2		2 Stories	Ceiling/Wall	D2		SUS-CELL & WL
Occupancy	1		Brick Veneer	Rooms/Prns	D2		AVERAGE
Exterior Wall 1	19		Vinyl Siding	% Common Wall	0		
Exterior Wall 2	25		Gable/Flip	Wall Height	8		
Roof Structure	D3		Asph/F Glst/Cmp				
Roof Cover	03		Drywall/Sheet				
Interior Wall 1	05		Vinyl/Asphalt				
Interior Floor 1	05		Carpet				
Interior Floor 2	14		Oil				
Heating Fuel	D2		Forced Air-Duc				
Heating Type	D4		Central				
AC Type	03		Zero Bathrooms				
Bedrooms	00		Zero Bathrooms				
Bathrooms	0						
Total Rooms							
Bath Type							
Kitchen Style							

CONDOMOBILE HOME DATA

Element	Code	Description	Factor
Complex			
Floor Adj			
Unit Location			
Number of Units			
Number of Levels			
% Ownership			

COST/MARKET VALUATION

Unadj. Base Rate	55,000
Size Adj. Factor	0.92376
Grade (Q) Index	1.53
Adj. Base Rate	77.73
Bldg. Value New	628,058
Year Built	1984
Eff. Year Built	(G)
Normal Physcal Dep	10
Functional Obshnc	
Room Obshnc	
Spec. Cond. Code	90
Spec. Cond. %	
Overall % Cond.	
Deprec. Bldg Value	565,300

MIXED USE

Code	Description	Percentage
9094	REC FACIL	100

OB-OUTBUILDING & YARD ITEMS(A) / XF-BUILDING EXTRA FEATURES(B)

Code	Description	L/B	Units	Unit Price	Yr.	Dz Rt	%Chd	Apr. Value
	PAVING-ASPHALT	L	14,000	2,000	2001	0	50	14,000
	SPRINKLERS-WET	B	100	1,000	1992	1	100	100

BUILDING SUB-AREA SUMMARY SECTION

Code	Description	Living Area	Gross Area	Eff. Area	Unit Cost	Undeprec. Value
	First Floor	4,155	4,155	4,155	77.73	322,968
BAS	Porch, Enclosed	0	40	20	38.87	1,555
REP	Upper Story, Finished	3,905	4,110	3,905	73.85	305,536
FUS						

MA 111. 41/11/10
 Other ID: 4 5 10

Bldg #: 1 Curd 1 of 1 SKETCH

100

FUS 15 9

FUS 15 9

FEB 10 10

FEB 10 10

FEB 10 10

Pawcatuck Fire District


Inspections by Occupancy

Date Completed Between {12/07/1998} And
{12/07/1998} and Inspection Type = "TAN "

PAWC000074 PAWCATUCK NEIGHBORHOOD CENTER
27 CHASE STREET
PAWCATUCK, CT 06379


Date	Time	Type	Staff Hrs	Fee
12/07/1998	17:00	TAN TANK / SOIL REMOVAL INSPECTION	1.00	
Total Activities for Occupancy: 1			1.00	

Grand Total Activities: 1 Grand Totals: 1.00 0.00



Proposed East Elevation View

PROPOSED SENIOR CENTER ADDITION
At the Pawcatuck Neighborhood Center
Stonington Planning Department • Community Development




Proposed Floor Plan


APPENDIX B

Photographs


View to south of second floor aerobics and lunch room. The Senior Center Annex will be made to the exterior wall.



View to south of first floor play room and food storage areas.



View of first floor utility room. Slop sink, water heater and original oil furnace.



Close up of floor drain by water heater.



Food pantry on the first floor.



Card board storage area outside the south end of the building.




South end of the building, area of the proposed Senior Center Annex addition.



Pink painted trim visible.


View to the southwest of dirt parking area and elevated slope.



View to north. Former play ground in fore ground. Elevated west slope to left.



View of furniture storage shed. Elevated railroad bed in back ground.



View of dumpster on east side of site. Elevated railroad bed in background.



View to north of vegetable garden.



Topsoil pile on the northeast corner of the site.




The Undeveloped Thavanet Machine/Grinding Shop property abutting the northeast corner of the site.




View to south of the north end of the building.



View of air conditioning units at rear of building.



View of heating oil tanks that replaced the original UST.



Mold on the wall from a repaired furnace leak.



APPENDIX C

Interviews

INTERVIEWS:

The following individuals were interviewed for information pertaining to the subject property.

<u>Name</u>	<u>Title</u>
Mr. Kevin Burns	Fire Marshal
Mr. Thomas Long	Fire Department
Mr. Rober Granato	Site Contact
Mr. Louis Thavanet	Owner/Operator of Thavanet Machine Shop
Ms. Karen Weiss	Sanitarian

APPENDIX D
EDR Database Report



EDR® Environmental
Data Resources Inc

The EDR Radius Map with GeoCheck®

**Senior Center Annex
27 Chase Street
Pawcatuck, CT 06379**

Inquiry Number: 01605074.1r

February 01, 2006

The Standard in Environmental Risk Management Information

**440 Wheelers Farms Road
Milford, Connecticut 06461**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com**

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Overview Map.....	2
Detail Map.....	3
Map Findings Summary.....	4
Map Findings.....	6
Orphan Summary.....	51
Government Records Searched/Data Currency Tracking.....	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum.....	A-1
Physical Setting Source Summary.....	A-2
Physical Setting Source Map.....	A-7
Physical Setting Source Map Findings.....	A-8
Physical Setting Source Records Searched.....	A-10

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

27 CHASE STREET
PAWCATUCK, CT 06379

COORDINATES

Latitude (North): 41.374800 - 41° 22' 29.3"
Longitude (West): 71.835300 - 71° 50' 7.1"
Universal Transverse Mercator: Zone 19
UTM X (Meters): 262884.0
UTM Y (Meters): 4584032.0
Elevation: 25 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 41071-C7 WATCH HILL, RI CT
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

FEDERAL RECORDS

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
Delisted NPL..... National Priority List Deletions
NPL Liens..... Federal Superfund Liens
CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP..... CERCLIS No Further Remedial Action Planned
CORRACTS..... Corrective Action Report
RCRA-TSDF..... Resource Conservation and Recovery Act Information
RCRA-LQG..... Resource Conservation and Recovery Act Information

EXECUTIVE SUMMARY

ERNS.....	Emergency Response Notification System
HMIRS.....	Hazardous Materials Information Reporting System
US ENG CONTROLS.....	Engineering Controls Sites List
US INST CONTROL.....	Sites with Institutional Controls
DOD.....	Department of Defense Sites
FUDS.....	Formerly Used Defense Sites
US BROWNFIELDS.....	A Listing of Brownfields Sites
CONSENT.....	Superfund (CERCLA) Consent Decrees
ROD.....	Records Of Decision
UMTRA.....	Uranium Mill Tailings Sites
ODI.....	Open Dump Inventory
TRIS.....	Toxic Chemical Release Inventory System
TSCA.....	Toxic Substances Control Act
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
SSTS.....	Section 7 Tracking Systems
PADS.....	PCB Activity Database System
MLTS.....	Material Licensing Tracking System
MINES.....	Mines Master Index File
RAATS.....	RCRA Administrative Action Tracking System

STATE AND LOCAL RECORDS

CT SHWS.....	Inventory of Hazardous Disposal Sites
CT SWF/LF.....	List of Landfills/Transfer Stations
RI SWF/LF.....	Solid Waste Management Facilities
CT SWRCY.....	Recycling Facilities
CT LUST.....	Leaking Underground Storage Tank List
CT AST.....	Marine Terminals and Tank Information
CT Spills.....	Oil & Chemical Spill Database
RI SPILLS.....	Oil & Hazardous Material Response Log/Spill Report
CT INST CONTROL.....	ELUR Sites
RI INST CONTROL.....	ELUR Listing
CT VCP.....	Voluntary Remediation Sites
CT BROWNFIELDS.....	Brownfields Inventory
RI BROWNFIELDS.....	Brownfields Site List
CT ENF.....	Enforcement Case Listing
RI LEAD.....	Lead Inspections Database

TRIBAL RECORDS

INDIAN RESERV.....	Indian Reservations
--------------------	---------------------

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

FEDERAL RECORDS

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store , treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/15/2005 has revealed that there are 18 RCRA-SQG sites within approximately 0.375 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SHELL STA/CHAMPS MAIN STREET S	61 MAIN ST	1/8 - 1/4ENE	C14	21
MOBIL SERVICE STATION	51 MAIN ST	1/8 - 1/4NE	C20	23
DAHL OIL CO INC THE	21 LIBERTY ST	1/4 - 1/2N	E28	28
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CARD CHEVROLET CO INC	106 W BROAD ST	1/8 - 1/4N	A3	8
PAWCATUCK AUTO PARTS	88 W BROAD ST	1/8 - 1/4NNE	A5	9
MOBIL OIL CORP SERV STA 356	BROAD & LIBERTY STS	1/8 - 1/4NNE	7	12
SALS SMALL ENGINE	113 MAIN ST	1/8 - 1/4E	B8	13
COACHMAN AUTO SALES	85 MAIN ST	1/8 - 1/4ENE	C9	13
KARS AUTOMOTIVE	87-B MAIN ST	1/8 - 1/4ENE	C10	19
WESTERLY POLICE DEPT	5 UNION ST	1/8 - 1/4ENE	C17	22
QUALITY AUTO ELECTRIC	138 MAIN ST	1/4 - 1/2ESE	F27	28
TWIN STATE AUTO SALES	145 MAIN STREET	1/4 - 1/2ESE	F29	29
DAN & BOBS AUTO TRANS REPAIR	145 MAIN ST	1/4 - 1/2ESE	F30	29
MAINTENANCE PLUS AUTO SERVICE	145 MAIN ST	1/4 - 1/2ESE	F31	30
TRAVEL CONNECTION	145 MAIN ST	1/4 - 1/2ESE	F32	30
DOUGLAS RANDALL INC	100 MECHANIC ST BLDG 26	1/4 - 1/2SSE	G34	33
SOUICY TIRE CENTER INC	179 MAIN ST	1/4 - 1/2SE	H41	42
ELITE CLEANERS INCORPORATED	181 MAIN STREET	1/4 - 1/2SE	J42	43

STATE AND LOCAL RECORDS

The State Hazardous Waste Sites records. The data come from the Dept. of Env. Management.

A review of the RI SHWS list, as provided by EDR, and dated 11/21/2005 has revealed that there are 7 RI SHWS sites within approximately 1.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RI DOT - BROAD/MAIN Facility Status: Active	BROAD / MAIN ST	1/4 - 1/2NE	I38	42
VOSE STREET PROPERTY Facility Status: Inactive	2 VOSE STREET	1/2 - 1 E	52	46
UNITED BUILDERS SUPPLY CO INC Facility Status: Active	30 OAK ST	1/2 - 1 NE	53	46

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BESS EATON DONUT STORE # 946 Facility Status: Active	127 HIGH STREET	1/2 - 1 NE	55	50
TOWER STREET WATER TANK Facility Status: Active	15 TOWER STREET	1/2 - 1 E	56	50
JBS CLEANERS Facility Status: Active	1 EAST AVENUE	1/2 - 1 ESE	L57	50
MOBIL STATION Facility Status: Active	10 EAST AVENUE	1 - 2 ESE	L58	50

CT SDADB: Site Discovery and Assessment Database.

A review of the CT SDADB list, as provided by EDR, and dated 11/21/2005 has revealed that there is 1 CT SDADB site within approximately 0.625 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
DOUGLAS-RANDALL, INC./HARRIS G	100 MECHANIC STREET	1/4 - 1/2 SSE	G33	31

RI LUST: Leaking Underground Storage Tank Facilities.

A review of the RI LUST list, as provided by EDR, and dated 11/23/2005 has revealed that there are 11 RI LUST sites within approximately 0.625 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SHELL STATION Facility Status: Active; Investigation/Remed. Required	61 MAIN STREET	1/8 - 1/4 ENE	C15	21
MOBIL SERVICE STATION Facility Status: Inactive; Investigation/Remed. Complete, No Further Action Required	51 MAIN STREET	1/8 - 1/4 NE	C21	24
NYNEX Facility Status: Inactive; Investigation/Remed. Complete, No Further Action Required	38-44 MAIN STREET	1/8 - 1/4 NE	D23	25
JOHN PAYNE JR. LAW OFFICE Facility Status: Inactive; Investigation/Remed. Complete, No Further Action Required	46 GRANITE STREET	1/2 - 1 E	48	45
BEACH STREET TIRE AND SERVICE Facility Status: Inactive; Investigation/Remed. Complete, No Further Action Required	21-22 BEACH STREET	1/2 - 1 SSE	49	45
RI NATIONAL GUARD Facility Status: Inactive; Investigation/Remed. Complete, No Further Action Required	2 DIXON STREET	1/2 - 1 NE	51	46
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
COACHMAN AUTO SALES Facility Status: Soil Removal Only; No Further Action Required	85 MAIN ST	1/8 - 1/4 ENE	C9	13
ALPINE SKI SHOP Facility Status: Inactive; Investigation/Remed. Complete, No Further Action Required	100 MAIN ST	1/8 - 1/4 ENE	C13	20
XTRA MART - WESTERLY Facility Status: Active; Investigation/Remed. Required	155 MAIN STREET	1/4 - 1/2 SE	H36	41
ELITE CLEANERS INCORPORATED Facility Status: Inactive; Investigation/Remed. Complete, No Further Action Required	181 MAIN STREET	1/4 - 1/2 SE	J42	43
PROVIDENCE GAS COMPANY Facility Status: Soil Removal Only; No Further Action Required	18 CANAL ST	1/4 - 1/2 NNE	K47	45

EXECUTIVE SUMMARY

CT LWDS:The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP.

A review of the CT LWDS list, as provided by EDR, and dated 09/22/1999 has revealed that there are 4 CT LWDS sites within approximately 1.125 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
YARDLEY CO.	COOLING/IND DISCHRG	0 - 1/8 SE	1	6
HARRIS CORTRELL	COOLING WTR -SURFACE	1/4 - 1/2 SSE	G37	41
CONN. INVESTMENT CASTING CO.	MISCELLANEOUS -GRND	1/2 - 1 N	50	46
CAROLE REALTY	OIL/CHEMICAL SPILLS	1/2 - 1 SSW	54	49

CT UST:The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Protection's "Town Inventory" UST Listing.

A review of the CT UST list, as provided by EDR, and dated 12/22/2005 has revealed that there are 5 CT UST sites within approximately 0.375 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BROWNS SERVICE CENTER	RT 2	1/4 - 1/2N	E25	25
LAWTONS INC	21 LIBERTY ST	1/4 - 1/2N	E35	34
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CARD CHEVROLET CO INC	106 W BROAD ST	1/8 - 1/4N	A2	6
DANIELSON FORD INC	RT6	1/8 - 1/4N	A4	8
MOBIL OIL S/S# 01-356	87 WEST BROAD STREET	1/8 - 1/4NNE	A6	10

RI UST:The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Management's Master List of UST Facilities & Their Associated Tanks.

A review of the RI UST list, as provided by EDR, and dated 12/22/2005 has revealed that there are 17 RI UST sites within approximately 0.375 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SHELL STA/CHAMPS MAIN STREET S	61 MAIN ST	1/8 - 1/4ENE	C14	21
UTTER COMPANY, THE	56 MAIN ST	1/8 - 1/4ENE	C19	22
MOBIL SERVICE STATION	51 MAIN ST	1/8 - 1/4NE	C20	23
NEW ENGLAND TELEPHONE	44 MAIN ST	1/8 - 1/4NE	D22	25
WASHINGTON TRUST COMPANY	23 BROAD ST	1/4 - 1/2NE	I39	42
JOHN FORD DEALERSHIP(ST. PIUS	160 MAIN (44 ELM ST) ST	1/4 - 1/2ESE	44	44
RI DEPARTMENT OF TRANSPORTATIO	14 HWY	1/4 - 1/2NE	45	45
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
COACHMAN AUTO SALES	85 MAIN ST	1/8 - 1/4ENE	C9	13
WESTERLY SUNOCO	115 MAIN ST	1/8 - 1/4E	B11	19
WES-MOR REALTY	100 MAIN ST	1/8 - 1/4ENE	C12	20
ALPINE SKI SHOP	100 MAIN ST	1/8 - 1/4ENE	C13	20
WESTERLY POLICE DEPARTMENT	5 UNION ST	1/8 - 1/4ENE	C16	22
WESTERLY FIRE DEPARTMENT	7 UNION ST	1/8 - 1/4ENE	C18	22
MAIN STREET GULF	138 MAIN ST	1/4 - 1/2ESE	F26	27

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
AFFORDABLE FURNISHINGS	160 MAIN ST	1/4 - 1/2 SE	H40	42
SOUCY TIRE CENTER INC	179 MAIN ST	1/4 - 1/2 SE	H41	42
TOWN & COUNTRY BEAUTY SALON	182 MAIN ST	1/4 - 1/2 SE	J43	44

RI AST:The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Management's Master List of AST Facilities & Their Associated Tanks.

A review of the RI AST list, as provided by EDR, and dated 10/28/2004 has revealed that there is 1 RI AST site within approximately 0.375 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
N.E. TELEPHONE	38 MAIN STREET	1/8 - 1/4 NE	D24	25

EDR PROPRIETARY RECORDS

EDR Manufactured Gas Plants:The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, and dated 11/15/2005 has revealed that there is 1 Manufactured Gas Plants site within approximately 1.125 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
WESTERLY GAS AND ELECTRIC LIGH	CANAL STREET	1/4 - 1/2 NNE	K46	45

EXECUTIVE SUMMARY


Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
WESTERLY TOWN LANDFILL	RI SWF/LF, CERC-NFRAP
LARKIN PROPERTY	CT LUST
FORMER DAHL OIL	CT LUST
EVANS MOBIL	CT LUST
STONINGTON SEWAGE PUMPING STAT	CT LUST
TEXACO STATION	CT LUST
SOUND MFG INC	RCRA-SQG, FINDS
EVANS MOBIL STA	RCRA-SQG, FINDS
WESTERLY TOWN OF LANDFILL	RCRA-SQG, FINDS
WESTERLY TOWN OF D P W	RCRA-SQG, FINDS
C J 4 X 4	RCRA-SQG, FINDS
DODGE CITY	RI AST

PHYSICAL SETTING SOURCE MAP - 01605074.1r



- | | | |
|--|--|------------------------------|
| County Boundary | Groundwater Flow Direction | EPA Designated Sole Src. Aq. |
| Major Roads | Indeterminate Groundwater Flow at Location | |
| Contour Lines | Groundwater Flow Varies at Location | |
| Airports | Closest Hydrogeological Data | |
| Earthquake epicenter, Richter 5 or greater | | |
| Water Wells | | |
| Public Water Supply Wells | | |
| Cluster of Multiple Icons | | |



SITE NAME: Senior Center Annex
ADDRESS: 27 Chase Street
 Pawcatuck CT 06379
LAT/LONG: 41.3748 / 71.8353

CLIENT: Facility Support Services
CONTACT: Gerry Gigliotti
INQUIRY #: 01605074.1r
DATE: February 01, 2006


OVERVIEW MAP - 01605074.1r



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ▨ National Priority List Sites
- ▩ Landfill Sites
- ▧ Dept. Defense Sites
- ▨ Indian Reservations BIA
- ▭ County Boundary
- ▭ Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- ▨ Federal Wetlands
- ▨ State Wetlands

SITE NAME: Senior Center Annex	CLIENT: Facility Support Services
ADDRESS: 27 Chase Street	CONTACT: Gerry Gigliotti
PAWCATUCK CT 06379	INQUIRY #: 01605074.1r
DATE: 41 374R / 71 R253	DATE: February 01 2006

DETAIL MAP - 01605074.1r



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Landfill Sites
- Dept. Defense Sites

- ▨ Indian Reservations BIA
- County Boundary
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone

<p>SITE NAME: Senior Center Annex ADDRESS: 27 Chase Street Pawcatuck CT 06379 LOCATION: 41 3748 / 71 8253</p>	<p>CLIENT: Facility Support Services CONTACT: Gerry Gigliotti INQUIRY #: 01605074.1r DATE: February 01 2006</p>
---	--

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL RECORDS</u>								
NPL		1.125	0	0	0	0	0	0
Proposed NPL		1.125	0	0	0	0	0	0
Delisted NPL		1.125	0	0	0	0	0	0
NPL Liens		0.125	0	NR	NR	NR	NR	0
CERCLIS		0.625	0	0	0	0	NR	0
CERC-NFRAP		0.625	0	0	0	0	NR	0
CORRACTS		1.125	0	0	0	0	0	0
RCRA TSD		0.625	0	0	0	0	NR	0
RCRA Lg. Quan. Gen.		0.375	0	0	0	NR	NR	0
RCRA Sm. Quan. Gen.		0.375	0	9	9	NR	NR	18
ERNS		0.125	0	NR	NR	NR	NR	0
HMIRS		0.125	0	NR	NR	NR	NR	0
US ENG CONTROLS		0.625	0	0	0	0	NR	0
US INST CONTROL		0.625	0	0	0	0	NR	0
DOD		1.125	0	0	0	0	0	0
FUDS		1.125	0	0	0	0	0	0
US BROWNFIELDS		0.625	0	0	0	0	NR	0
CONSENT		1.125	0	0	0	0	0	0
ROD		1.125	0	0	0	0	0	0
UMTRA		0.625	0	0	0	0	NR	0
ODI		0.625	0	0	0	0	NR	0
TRIS		0.125	0	NR	NR	NR	NR	0
TSCA		0.125	0	NR	NR	NR	NR	0
FTTS		0.125	0	NR	NR	NR	NR	0
SSTS		0.125	0	NR	NR	NR	NR	0
PADS		0.125	0	NR	NR	NR	NR	0
MLTS		0.125	0	NR	NR	NR	NR	0
MINES		0.375	0	0	0	NR	NR	0
FINDS		0.125	0	NR	NR	NR	NR	0
RAATS		0.125	0	NR	NR	NR	NR	0
<u>STATE AND LOCAL RECORDS</u>								
CT State Haz. Waste		1.125	0	0	0	0	0	0
RI State Haz. Waste		1.125	0	0	1	5	1	7
CT SDADB		0.625	0	0	1	0	NR	1
CT State Landfill		0.625	0	0	0	0	NR	0
RI State Landfill		0.625	0	0	0	0	NR	0
CT SWRCY		0.625	0	0	0	0	NR	0
CT LUST		0.625	0	0	0	0	NR	0
RI LUST		0.625	0	5	3	3	NR	11
CT LWDS		1.125	1	0	1	2	0	4
CT UST		0.375	0	3	2	NR	NR	5
RI UST		0.375	0	10	7	NR	NR	17
CT AST		0.375	0	0	0	NR	NR	0
RI AST		0.375	0	1	0	NR	NR	1
CT Spills		0.125	0	NR	NR	NR	NR	0
RI SPILLS		0.125	0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
CT INST CONTROL		0.625	0	0	0	0	NR	0
RI INST CONTROL		0.625	0	0	0	0	NR	0
CT VCP		0.625	0	0	0	0	NR	0
CT BROWNFIELDS		0.625	0	0	0	0	NR	0
RI BROWNFIELDS		0.625	0	0	0	0	NR	0
CT ENF		0.125	0	NR	NR	NR	NR	0
CT Property		0.125	0	NR	NR	NR	NR	0
RI LEAD		0.125	0	NR	NR	NR	NR	0
<u>TRIBAL RECORDS</u>								
INDIAN RESERV		1.125	0	0	0	0	0	0
<u>EDR PROPRIETARY RECORDS</u>								
Manufactured Gas Plants		1.125	0	0	1	0	0	1

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

1 SE < 1/8 548 ft.	YARDLEY CO. COOLING/IND DISCHRG , CT	CT LWDS	W991101094 N/A
------------------------------------	--	----------------	--------------------------

Relative: Lower

Actual: 16 ft.

LWDS:

ArcView Legend Symbology:	COOL&INDUS
Leachate and Wastewater Name:	COOLING/IND DISCHRG
Leachate and Wastewater Number:	1000003
Status of the Discharge Activity:	ACTIVE
Leachate and Waste Flow:	SURFACE
Feature Number on Hazardous Waste List:	0
Subregional Basin Feature Number:	1000
Name:	Yardley Co.
Alias:	Not reported
Description:	combined cooling water and metal finishing discharge
Lat/Long:	41.37385 / -71.83375
State Plane x/y:	1251473 / 698274

A2 North 1/8-1/4 720 ft.	CARD CHEVROLET CO INC 106 W BROAD ST PAWCATUCK, CT 06379	CT UST	U004009103 N/A
--	---	---------------	--------------------------

Site 1 of 5 in cluster A

Relative: Lower

Actual: 20 ft.

UST:

Facility Id:	2430
Tank ID:	4
Alt. Facility ID:	137-2430
Alt. Tank ID:	D
Tank Status:	Permanently Out of Use
Capacity:	1000
Substance:	Gasoline
Closure Status:	Tank removed from ground
Date Installed:	5/1/1950
Date Last Used:	Not reported
Tank Material:	Asphalt Coated or Bare Steel
2ndary Material:	None
Pipe Material:	Bare Steel
2ndary Material:	None
Spill Installed:	No
Overfill Installed:	No
Owner:	ROBERT H CARD WELLS ST. Ashaway, RI 02804
Lat/Long:	41° 22' 36" / 7° 15' 8"

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CARD CHEVROLET CO INC (Continued)

U004009103

Facility Id: 2430
Tank ID: 2
Alt. Facility ID: 137-2430
Alt. Tank ID: B
Tank Status: Permanently Out of Use
Capacity: 1000
Substance: Gasoline
Closure Status: Closed in Place
Date Installed: 6/1/1950
Date Last Used: 1/1/1950
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Bare Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: ROBERT H CARD
WELLS ST.
Ashaway, RI 02804
Lat/Long: 41° 22' 36" / 7° 15' 8"

Facility Id: 2430
Tank ID: 1
Alt. Facility ID: 137-2430
Alt. Tank ID: A
Tank Status: Permanently Out of Use
Capacity: 1000
Substance: Gasoline
Closure Status: Closed in Place
Date Installed: 6/1/1950
Date Last Used: 1/1/1950
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Bare Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: ROBERT H CARD
WELLS ST.
Ashaway, RI 02804
Lat/Long: 41° 22' 36" / 7° 15' 8"

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

CARD CHEVROLET CO INC (Continued)

U004009103

Facility Id: 2430
 Tank ID: 3
 Alt. Facility ID: 137-2430
 Alt. Tank ID: C
 Tank Status: Permanently Out of Use
 Capacity: 200
 Substance: Gasoline
 Closure Status: Tank removed from ground
 Date Installed: 7/1/1960
 Date Last Used: 4/1/1998
 Tank Material: Asphalt Coated or Bare Steel
 2ndary Material: None
 Pipe Material: Bare Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: ROBERT H CARD
 WELLS ST.
 Ashaway, RI 02804
 Lat/Long: 41° 22' 36" / 7° 15' 8"

A3
 North
 1/8-1/4
 720 ft.

CARD CHEVROLET CO INC
 106 W BROAD ST
 PAWCATUCK, CT 06379

RCRA-SQG 1004681472
FINDS CTD983871674

Site 2 of 5 in cluster A

Relative:
Lower

RCRAInfo:
 Owner: CARD CHEVROLET INC
 (203) 555-1212
EPA ID: CTD983871674
Contact: DON BROWN
 (203) 599-5741

Actual:
 20 ft.

Classification: Conditionally Exempt Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 INTEGRATED COMPLIANCE INFORMATION SYSTEM
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

A4
 North
 1/8-1/4
 743 ft.

DANIELSON FORD INC
 RT6
 BROOKLYN, CT 06234

CT UST 1000182780
N/A

Site 3 of 5 in cluster A

Relative:
Lower

Actual:
 19 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DANIELSON FORD INC (Continued)

1000182780

UST:

Facility Id: 243
Tank ID: 2
Alt. Facility ID: 19-243
Alt. Tank ID: B1
Tank Status: Currently In Use
Capacity: 275
Substance: Used Oil
Closure Status: Not reported
Date Installed: 8/1/1976
Date Last Used: Not reported
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Unknown
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: H.C. ENGLERT JR.
230 RT87
Columbia, CT 06237

Lat/Long: 41° 47' 50" / 71° 54' 34"

Facility Id: 243
Tank ID: 1
Alt. Facility ID: 19-243
Alt. Tank ID: A1
Tank Status: Currently In Use
Capacity: 1000
Substance: Heating Oil
Closure Status: Not reported
Date Installed: 8/1/1976
Date Last Used: Not reported
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Unknown
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: H.C. ENGLERT JR.
230 RT87
Columbia, CT 06237

Lat/Long: 41° 47' 50" / 71° 54' 34"

A5 PAWCATUCK AUTO PARTS
NNE 88 W BROAD ST
1/8-1/4 PAWCATUCK, CT 06379
855 ft.

Relative:
Lower

Actual:
18 ft.

Site 4 of 5 in cluster A

RCRA-SQG 1004681391
FINDS CTD982753428

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Database(s) EDR ID Number
 EPA ID Number

PAWCATUCK AUTO PARTS (Continued)

1004681391

RCRAInfo:

Owner: ACG REALTY CO
 (203) 555-1212
 EPA ID: CTD982753428
 Contact: BILL CRIPPS
 (203) 599-4070

Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

A6
NNE
1/8-1/4
864 ft.

MOBIL OIL S/S# 01-356
87 WEST BROAD STREET
PAWCATUCK, CT 06379

CT UST U003517982
N/A

Site 5 of 5 in cluster A

Relative:
Lower

UST:

Actual:
18 ft.

Facility Id: 10574
 Tank ID: 1
 Alt. Facility ID: 137-10574
 Alt. Tank ID: A1
 Tank Status: Currently In Use
 Capacity: 10000
 Substance: Gasoline
 Closure Status: Not reported
 Date Installed: 5/1/1988
 Date Last Used: Not reported
 Tank Material: Fiberglass Reinforced Plastic
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: Yes
 Owner: MOBIL OIL CORPORATION
 P.O. BOX 142667
 Austin, TX 78714
 Lat/Long: 4° 4' 51" / 7° 14' 51"

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MOBIL OIL S/S# 01-356 (Continued)

U003517982

Facility Id: 10574
Tank ID: 2
Alt. Facility ID: 137-10574
Alt. Tank ID: B2
Tank Status: Currently In Use
Capacity: 10000
Substance: Gasoline
Closure Status: Not reported
Date Installed: 5/1/1988
Date Last Used: Not reported
Tank Material: Fiberglass Reinforced Plastic
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: Yes
Owner: MOBIL OIL CORPORATION
P.O. BOX 142667
Austin, TX 78714
Lat/Long: 4° 4' 51" / 7° 14' 51"

Facility Id: 10574
Tank ID: 5
Alt. Facility ID: 137-10574
Alt. Tank ID: E5
Tank Status: Currently In Use
Capacity: 1000
Substance: Gasoline
Closure Status: Not reported
Date Installed: 5/1/1988
Date Last Used: Not reported
Tank Material: Fiberglass Reinforced Plastic
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: Yes
Owner: MOBIL OIL CORPORATION
P.O. BOX 142667
Austin, TX 78714
Lat/Long: 4° 4' 51" / 7° 14' 51"

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

MOBIL OIL S/S# 01-356 (Continued)

U003517982

Facility Id: 10574
Tank ID: 3
Alt. Facility ID: 137-10574
Alt. Tank ID: C3
Tank Status: Currently In Use
Capacity: 12000
Substance: Gasoline
Closure Status: Not reported
Date Installed: 5/1/1988
Date Last Used: Not reported
Tank Material: Fiberglass Reinforced Plastic
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: Yes
Owner: MOBIL OIL CORPORATION
P.O. BOX 142667
Austin, TX 78714
Lat/Long: 4° 4' 51" / 7° 14' 51"

Facility Id: 10574
Tank ID: 4
Alt. Facility ID: 137-10574
Alt. Tank ID: D4
Tank Status: Currently In Use
Capacity: 1000
Substance: Used Oil
Closure Status: Not reported
Date Installed: 5/1/1988
Date Last Used: Not reported
Tank Material: Fiberglass Reinforced Plastic
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: Yes
Owner: MOBIL OIL CORPORATION
P.O. BOX 142667
Austin, TX 78714
Lat/Long: 4° 4' 51" / 7° 14' 51"

7
NNE
1/8-1/4
1058 ft.

MOBIL OIL CORP SERV STA 356
BROAD & LIBERTY STS
PAWCATUCK, CT 06379

RCRA-SQG 1000881137
FINDS CTD983877572

Relative:
Lower

Actual:
21 ft.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

MOBIL OIL CORP SERV STA 356 (Continued)

1000881137

RCRAInfo:

Owner: MOBIL OIL CORP MKTG ENVR
 (203) 555-1212
 EPA ID: CTD983877572
 Contact: ASHLEY FORBES
 (512) 451-6334

Classification: Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

**B8
 East
 1/8-1/4
 1148 ft.**

**SALS SMALL ENGINE
 113 MAIN ST
 WESTERLY, RI 02891**

**RCRA-SQG 1001203574
 FINDS RI5000010819**

Site 1 of 2 in cluster B

**Relative:
 Lower**

RCRAInfo:

Owner: SALVATORE FORTUNATO
 (401) 596-0640
 EPA ID: RI5000010819
 Contact: SALVATORE FORTUNATO
 (401) 348-0019

Classification: Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

**Actual:
 17 ft.**

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

**C9
 ENE
 1/8-1/4
 1149 ft.**

**COACHMAN AUTO SALES
 85 MAIN ST
 WESTERLY, RI 02891**

**RCRA-SQG 1000170941
 FINDS RID981891476
 RI LUST
 RI UST
 CT CT MANIFEST**

Site 1 of 12 in cluster C

**Relative:
 Lower**

RCRAInfo:

Owner: STEVE LONGOLUCCO
 (401) 555-1212
 EPA ID: RID981891476
 Contact: STEVE LONGLUCCO
 (401) 596-0326

Classification: Small Quantity Generator
 TSDF Activities: Not reported

**Actual:
 22 ft.**

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

COACHMAN AUTO SALES (Continued)

1000170941

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

LUST:

Project Number: 3837-LS

Project Date: 9/22/1999

Tank Status: Soil Removal Only; No Further Action Required

UST:

Facility ID: 18745

Tank Status: Permanently Closed

Tank Substance: HEATING OIL NO.2

Tank ID: 1

Tank Capacity: 1000 Gals

Date Installed: 2001-04-25 00:00:00

Facility ID: 18745

Tank Status: Permanently Closed

Tank Substance: WASTE OIL

Tank ID: 2

Tank Capacity: 500 Gals

Date Installed: 2001-04-25 00:00:00

CT MANIFEST:

Manifest ID: CTF0537275

TSDf EPA ID: CTD021816889

TSDf Telephone: Not reported

TSDf Name: UNITED OIL RECOVERY INC

TSDf Address: 136 GRACEY AVE

MERIDEN, CT 06450

TSDf Country: USA

Transporter 1 EPA ID: CTD021816889

Trans. 1 Phone: Not reported

Trans. 1 Name: UNITED OIL RECOVERY INC

Trans. 1 Address: Not reported

CT

Trans. 1 Country: USA

Transporter 2 EPA ID: Not reported

Trans. 2 Phone: Not reported

Trans. 2 Name: Not reported

Trans. 2 Address: Not reported

CT

Trans. 2 Country: USA

Transp. 1 date: 19960827

Transp. 1 date: Not reported

Generator EPA ID: RID981891476

Facility Phone: Not reported

Site Address: Not reported

Not reported

Site County: Not reported

Special Handling: Not reported

Discrepancies: Not reported

Date Shipped: 19960827

Date Received: 19960828

Comments: Not reported

Year: 1996

Last modified date: 20040426

Last modified by: IG

Manifest ID: CTF0599023

TSDf EPA ID: CTD021816889

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EPA ID Number

COACHMAN AUTO SALES (Continued)

1000170941

TSDF Telephone: Not reported
TSDF Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDF Address: 136 GRACEY AVE.
MERIDEN, CT 06451
TSDF Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported
CT
Trans. 1 Country: USA
Transporter 2 EPA ID: Not reported
Trans. 2 Phone: Not reported
Trans. 2 Name: Not reported
Trans. 2 Address: Not reported
CT
Trans. 2 Country: USA
Transp. 1 date: 19961104
Transp. 1 date: Not reported
Generator EPA ID: RID981891476
Facility Phone: Not reported
Site Address: Not reported
Not reported
Site County: Not reported
Special Handling: Not reported
Discrepancies: Not reported
Date Shipped: 19961104
Date Received: 19961104
Comments: Not reported
Year: 1996
Last modified date: 20040426
Last modified by: IG
Manifest ID: CTF0610008
TSDF EPA ID: CTD021816889
TSDF Telephone: Not reported
TSDF Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDF Address: 136 GRACEY AVE.
MERIDEN, CT 06451
TSDF Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported
CT
Trans. 1 Country: USA
Transporter 2 EPA ID: Not reported
Trans. 2 Phone: Not reported
Trans. 2 Name: Not reported
Trans. 2 Address: Not reported
CT
Trans. 2 Country: USA
Transp. 1 date: Not reported
Transp. 1 date: Not reported
Generator EPA ID: RID981891476
Facility Phone: Not reported
Site Address: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

COACHMAN AUTO SALES (Continued)

1000170941

Site County: Not reported
Special Handling: Not reported
Discrepancies: Not reported
Date Shipped: 19970110
Date Received: Not reported
Comments: Not reported
Year: 1997
Last modified date: 20040426
Last modified by: IG

Manifest ID: CTF0601672
TSDf EPA ID: CTD021816889
TSDf Telephone: Not reported
TSDf Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDf Address: 136 GRACEY AVE.
MERIDEN, CT 06451

TSDf Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported
CT

Trans. 1 Country: USA
Transporter 2 EPA ID: Not reported
Trans. 2 Phone: Not reported
Trans. 2 Name: Not reported
Trans. 2 Address: Not reported
CT

Trans. 2 Country: USA
Transp. 1 date: Not reported
Transp. 1 date: Not reported
Generator EPA ID: RID981891476
Facility Phone: Not reported
Site Address: Not reported
Not reported

Site County: Not reported
Special Handling: Not reported
Discrepancies: Not reported
Date Shipped: 19970319
Date Received: Not reported
Comments: Not reported
Year: 1997
Last modified date: 20040426
Last modified by: IG

Manifest ID: CTF0647033
TSDf EPA ID: CTD021816889
TSDf Telephone: Not reported
TSDf Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDf Address: 136 GRACEY AVE.
MERIDEN, CT 06451

TSDf Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

COACHMAN AUTO SALES (Continued)

1000170941

Trans. 1 Country: CT
Transporter 2 EPA ID: USA
CTD021816889
Trans. 2 Phone: Not reported
Trans. 2 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 2 Address: Not reported
CT
Trans. 2 Country: USA
Transp. 1 date: Not reported
Transp. 1 date: Not reported
Generator EPA ID: RID981891476
Facility Phone: Not reported
Site Address: Not reported
Not reported
Site County: Not reported
Special Handling: Not reported
Discrepancies: Not reported
Date Shipped: 19971222
Date Received: Not reported
Comments: Not reported
Year: 1997
Last modified date: 20040426
Last modified by: IG

Manifest ID: CTF0660293
TSDF EPA ID: CTD021816889
TSDF Telephone: Not reported
TSDF Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDF Address: 136 GRACEY AVE.
MERIDEN, CT 06451

TSDF Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported
CT
Trans. 1 Country: USA
Transporter 2 EPA ID: Not reported
Trans. 2 Phone: Not reported
Trans. 2 Name: Not reported
Trans. 2 Address: Not reported
CT
Trans. 2 Country: USA
Transp. 1 date: Not reported
Transp. 1 date: Not reported
Generator EPA ID: RID981891476
Facility Phone: Not reported
Site Address: Not reported
Not reported
Site County: Not reported
Special Handling: Not reported
Discrepancies: Not reported
Date Shipped: 19970807
Date Received: Not reported
Comments: Not reported
Year: 1997
Last modified date: 20040426

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

COACHMAN AUTO SALES (Continued)

1000170941

Last modified by: IG

Manifest ID: CTF0668862
TSDf EPA ID: CTD021816889
TSDf Telephone: Not reported
TSDf Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDf Address: 136 GRACEY AVE.
MERIDEN, CT 06451

TSDf Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported
CT
Trans. 1 Country: USA
Transporter 2 EPA ID: Not reported
Trans. 2 Phone: Not reported
Trans. 2 Name: Not reported
Trans. 2 Address: Not reported
CT
Trans. 2 Country: USA
Transp. 1 date: Not reported
Transp. 1 date: Not reported
Generator EPA ID: RID981891476
Facility Phone: Not reported
Site Address: Not reported
Not reported
Site County: Not reported
Special Handling: Not reported
Discrepancies: Not reported
Date Shipped: 19971014
Date Received: Not reported
Comments: Not reported
Year: 1997
Last modified date: 20040426
Last modified by: IG

Manifest ID: CTF0644256
TSDf EPA ID: CTD021816889
TSDf Telephone: Not reported
TSDf Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDf Address: 136 GRACEY AVE.
MERIDEN, CT 06451

TSDf Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported
CT
Trans. 1 Country: USA
Transporter 2 EPA ID: CTD021816889
Trans. 2 Phone: Not reported
Trans. 2 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 2 Address: Not reported
CT
Trans. 2 Country: USA
Transp. 1 date: 19980128

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

COACHMAN AUTO SALES (Continued)

1000170941

Transp. 1 date: 19980130
 Generator EPA ID: RID981891476
 Facility Phone: Not reported
 Site Address: Not reported
 Not reported
 Site County: Not reported
 Special Handling: Not reported
 Discrepancies: No
 Date Shipped: 19980128
 Date Received: 19980202
 Comments: Not reported
 Year: 1998
 Last modified date: 20040426
 Last modified by: IG

C10
ENE
1/8-1/4
1149 ft.

KARS AUTOMOTIVE
87-B MAIN ST
WESTERLY, RI 02891

RCRA-SQG 1000875392
FINDS RI5000000034

Site 2 of 12 in cluster C

Relative:
Lower

RCRAInfo:
 Owner: JOE LONGOLUCCO
 (401) 596-0326
 EPA ID: RI50000000034
 Contact: KENNETH SARDELLI
 (401) 348-0231
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

Actual:
22 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

B11
East
1/8-1/4
1151 ft.

WESTERLY SUNOCO
115 MAIN ST
WESTERLY, RI

RI UST U001211256
N/A

Site 2 of 2 in cluster B

Relative:
Lower

UST:
 Facility ID: 581
 Tank Status: Permanently Closed
 Tank Substance: GASOLINE
 Facility ID: 581
 Tank Status: Permanently Closed
 Tank Substance: GASOLINE
 Facility ID: 581
 Tank Status: Permanently Closed
 Tank Substance: DIESEL

Tank ID: 1
 Tank Capacity: 8000 Gals
 Date Installed: 1976-04-01 00:00:00
 Tank ID: 2
 Tank Capacity: 8000 Gals
 Date Installed: 1976-04-01 00:00:00
 Tank ID: 3
 Tank Capacity: 8000 Gals
 Date Installed: 1976-04-01 00:00:00

Actual:
17 ft.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Database(s)
 EDR ID Number
 EPA ID Number

WESTERLY SUNOCO (Continued)

U001211256

Facility ID: 581	Tank ID: 4
Tank Status: In Use	Tank Capacity: 12000 Gals
Tank Substance: GASOLINE	Date Installed: 2002-06-20 00:00:00
Facility ID: 581	Tank ID: 5
Tank Status: In Use	Tank Capacity: 8000 Gals
Tank Substance: GASOLINE	Date Installed: 2002-06-20 00:00:00
Facility ID: 581	Tank ID: 6
Tank Status: In Use	Tank Capacity: 4000 Gals
Tank Substance: DIESEL	Date Installed: 2002-06-20 00:00:00

C12
ENE
1/8-1/4
1155 ft.

WES-MOR REALTY
100 MAIN ST
WESTERLY, RI

RI UST **U001213911**
N/A

Site 3 of 12 in cluster C

Relative:
Lower

UST:

Facility ID: 15816	Tank ID: 1
Tank Status: Permanently Closed	Tank Capacity: 1900 Gals
Tank Substance: HEATING OIL NO.2	Date Installed: 2001-04-25 00:00:00

Actual:
22 ft.

C13
ENE
1/8-1/4
1155 ft.

ALPINE SKI SHOP
100 MAIN ST
WESTERLY, RI

RI LUST **U001213824**
RI UST **N/A**

Site 4 of 12 in cluster C

Relative:
Lower

LUST:

Project Number: 3813-LS
 Project Date: 6/9/1992
Tank Status: Inactive; Investigation/Remed. Complete, No Further Action Required

Actual:
22 ft.

UST:

Facility ID: 15648	Tank ID: 1
Tank Status: Permanently Closed	Tank Capacity: 1500 Gals
Tank Substance: HEATING OIL NO.2	Date Installed: 2001-04-25 00:00:00
Facility ID: 15648	Tank ID: 2
Tank Status: Permanently Closed	Tank Capacity: 5000 Gals
Tank Substance: WASTE OIL	Date Installed: 2001-04-25 00:00:00
Facility ID: 15648	Tank ID: 3
Tank Status: Permanently Closed	Tank Capacity: 3000 Gals
Tank Substance: GASOLINE	Date Installed: 2001-04-25 00:00:00
Facility ID: 15648	Tank ID: 4
Tank Status: Permanently Closed	Tank Capacity: 2000 Gals
Tank Substance: GASOLINE	Date Installed: 2001-04-25 00:00:00

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation	Site	Database(s)	

C14
ENE
1/8-1/4
1179 ft.

SHELL STA/CHAMPS MAIN STREET SHELL
61 MAIN ST
WESTERLY, RI 02891

Site 5 of 12 in cluster C

RCRA-SQG
FINDS
RI UST

1000574111
RID987475852

Relative:
Higher

RCRAInfo:
 Owner: SHELL OIL COMPANY
 (401) 555-1212
 EPA ID: RID987475852
 Contact: ROBERT A GIROUARD
 (203) 678-7008

Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

Actual:
28 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

UST:

Facility ID: 905	Tank ID: 5
Tank Status: Permanently Closed	Tank Capacity: 1000 Gals
Tank Substance: HEATING OIL NO.2	Date Installed: 1990-09-01 00:00:00
Facility ID: 905	Tank ID: 1
Tank Status: Permanently Closed	Tank Capacity: 12000 Gals
Tank Substance: GASOLINE	Date Installed: 1985-04-01 00:00:00
Facility ID: 905	Tank ID: 2
Tank Status: Permanently Closed	Tank Capacity: 12000 Gals
Tank Substance: GASOLINE	Date Installed: 1985-04-01 00:00:00
Facility ID: 905	Tank ID: 3
Tank Status: Permanently Closed	Tank Capacity: 12000 Gals
Tank Substance: GASOLINE	Date Installed: 1985-04-01 00:00:00
Facility ID: 905	Tank ID: 4
Tank Status: Permanently Closed	Tank Capacity: 550 Gals
Tank Substance: HEATING OIL NO.2	Date Installed: 1985-04-01 00:00:00

C15
ENE
1/8-1/4
1179 ft.

SHELL STATION
61 MAIN STREET
WESTERLY, RI

RI LUST **S102068433**
N/A

Site 6 of 12 in cluster C

Relative:
Higher

LUST:
 Project Number: 3810-LS
 Project Date: 10/19/1990
 Tank Status: **Active; Investigation/Remed. Required**

Actual:
28 ft.

MAP FINDINGS

Map ID			
Direction			
Distance			
Distance (ft.)			EDR ID Number
Elevation	Site	Database(s)	EPA ID Number

C16	WESTERLY POLICE DEPARTMENT	RI UST	U003114148
ENE	5 UNION ST		N/A
1/8-1/4	WESTERLY, RI		
1182 ft.			

Site 7 of 12 in cluster C

Relative:
Lower

UST:

Actual:	Facility ID: 2047	Tank ID: 1	
23 ft.	Tank Status: Permanently Closed	Tank Capacity: 1000 Gals	
	Tank Substance: GASOLINE	Date Installed: 1959-05-01 00:00:00	

	Facility ID: 2047	Tank ID: 2	
	Tank Status: Permanently Closed	Tank Capacity: 4000 Gals	
	Tank Substance: GASOLINE	Date Installed: 1959-05-01 00:00:00	

C17	WESTERLY POLICE DEPT	RCRA-SQG	1001489876
ENE	5 UNION ST	FINDS	RIR000015149
1/8-1/4	WESTERLY, RI 02891		
1182 ft.			

Site 8 of 12 in cluster C

Relative:
Lower

RCRAInfo:

Actual:	Owner: WESTERLY POLICE DEPT		
23 ft.	(401) 596-2022		
	EPA ID: RIR000015149		
	Contact: DAVID SMITH		
	(401) 596-2022		

Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIR QUALITY SYSTEM
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

C18	WESTERLY FIRE DEPARTMENT	RI UST	U003665232
ENE	7 UNION ST		N/A
1/8-1/4	WESTERLY, RI		
1197 ft.			

Site 9 of 12 in cluster C

Relative:
Lower

UST:

Actual:	Facility ID: 18651	Tank ID: 1	
23 ft.	Tank Status: Permanently Closed	Tank Capacity: 3000 Gals	
	Tank Substance: UNKNOWN	Date Installed: 2001-04-25 00:00:00	

C19	UTTER COMPANY, THE	RI UST	U003114193
ENE	56 MAIN ST		N/A
1/8-1/4	WESTERLY, RI		
1203 ft.			

Site 10 of 12 in cluster C

Relative:
Higher

Actual:
27 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

MOBIL SERVICE STATION (Continued)

1000574155

Facility ID:	1575	Tank ID:	8
Tank Status:	In Use	Tank Capacity:	10000 Gals
Tank Substance:	GASOLINE	Date Installed:	1989-11-01 00:00:00
Facility ID:	1575	Tank ID:	9
Tank Status:	In Use	Tank Capacity:	8000 Gals
Tank Substance:	GASOLINE	Date Installed:	1989-11-01 00:00:00
Facility ID:	1575	Tank ID:	10
Tank Status:	In Use	Tank Capacity:	8000 Gals
Tank Substance:	GASOLINE	Date Installed:	1989-11-01 00:00:00

CT MANIFEST:

Manifest ID: CTF0932982
TSDf EPA ID: CTD002593887
TSDf Telephone: Not reported
TSDf Name: BRIDGEPORT UNITED RECYCLE (FORMERLY HITCHCOCK GAS)
TSDf Address: 50 CROSS STREET
BRIDGEPORT, CT 06608
TSDf Country: USA
Transporter 1 EPA ID: CTD018811802
Trans. 1 Phone: Not reported
Trans. 1 Name: ENVIRONMENTAL SERVICES - MITCHELL ASSOCIATES
Trans. 1 Address: Not reported
CT
Trans. 1 Country: USA
Transporter 2 EPA ID: Not reported
Trans. 2 Phone: Not reported
Trans. 2 Name: Not reported
Trans. 2 Address: Not reported
CT
Trans. 2 Country: USA
Transp. 1 date: 20000905
Transp. 1 date: Not reported
Generator EPA ID: RID987478856
Facility Phone: 5124516334
Site Address: Not reported
Not reported
Site County: Not reported
Special Handling: Not reported
Discrepancies: No
Date Shipped: 20000905
Date Received: 20000906
Comments: Not reported
Year: 2000
Last modified date: 20040427
Last modified by: IG

**C21
NE
1/8-1/4
1236 ft.**

**MOBIL SERVICE STATION
51 MAIN STREET
WESTERLY, RI**

**RI LUST 1002596861
N/A**

Site 12 of 12 in cluster C

**Relative:
Higher**

LUST:

Project Number: 3803-LS

Project Date: 3/1/1989

**Actual:
27 ft.**

Tank Status: Inactive; Investigation/Remed. Complete, No Further Action Required

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
D22	NE	1/8-1/4	1278 ft.		NEW ENGLAND TELEPHONE 44 MAIN ST WESTERLY, RI	RI UST	U001211690	N/A
					Site 1 of 3 in cluster D			
				Relative: Higher	UST:			
				Actual: 28 ft.	Facility ID: 1214 Tank Status: Permanently Closed Tank Substance: HEATING OIL NO.2	Tank ID: 1 Tank Capacity: 1000 Gals Date Installed: 2001-04-25 00:00:00		
					Facility ID: 1214 Tank Status: Permanently Closed Tank Substance: DIESEL	Tank ID: 2 Tank Capacity: 1000 Gals Date Installed: 2001-04-25 00:00:00		
D23	NE	1/8-1/4	1316 ft.		NYNEX 38-44 MAIN STREET WESTERLY, RI	RI LUST	S101361110	N/A
					Site 2 of 3 in cluster D			
				Relative: Higher	LUST:			
				Actual: 29 ft.	Project Number: 3823-LS Project Date: 11/30/1994 Tank Status: Inactive; Investigation/Remed. Complete, No Further Action Required			
D24	NE	1/8-1/4	1316 ft.		N.E. TELEPHONE 38 MAIN STREET WESTERLY, RI 02891	RI AST	A100115182	N/A
					Site 3 of 3 in cluster D			
				Relative: Higher	AST:			
				Actual: 29 ft.	Facility ID: 380005 Total Tanks: UR Tank Info: Not reported			
E25	North	1/4-1/2	1339 ft.		BROWNS SERVICE CENTER RT 2 PAWCATUCK, CT 06379	CT UST	U002022809	N/A
					Site 1 of 3 in cluster E			
				Relative: Higher				
				Actual: 27 ft.				

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BROWNS SERVICE CENTER (Continued)

U002022809

UST:

Facility Id: 2375
Tank ID: 2
Alt. Facility ID: 137-2375
Alt. Tank ID: B1
Tank Status: Permanently Out of Use
Capacity: 4000
Substance: Gasoline
Closure Status: Tank removed from ground
Date Installed: 7/1/1981
Date Last Used: 3/1/1988
Tank Material: Cathodically Protected Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 4° 12' 35" / 71° 50' 54"

Facility Id: 2375
Tank ID: 3
Alt. Facility ID: 137-2375
Alt. Tank ID: C1
Tank Status: Permanently Out of Use
Capacity: 4000
Substance: Gasoline
Closure Status: Tank removed from ground
Date Installed: 7/1/1984
Date Last Used: 3/1/1988
Tank Material: Cathodically Protected Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 4° 12' 35" / 71° 50' 54"

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

BROWNS SERVICE CENTER (Continued)

U002022809

Facility Id: 2375
 Tank ID: 4
 Alt. Facility ID: 137-2375
 Alt. Tank ID: D1
 Tank Status: Permanently Out of Use
 Capacity: 2000
 Substance: Gasoline
 Closure Status: Tank removed from ground
 Date Installed: 7/1/1984
 Date Last Used: 3/1/1988
 Tank Material: Cathodically Protected Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 4° 12' 35" / 71° 50' 54"

Facility Id: 2375
 Tank ID: 1
 Alt. Facility ID: 137-2375
 Alt. Tank ID: A1
 Tank Status: Permanently Out of Use
 Capacity: 3000
 Substance: Gasoline
 Closure Status: Tank removed from ground
 Date Installed: 5/1/1972
 Date Last Used: 3/1/1988
 Tank Material: Asphalt Coated or Bare Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 4° 12' 35" / 71° 50' 54"

F26
ESE
1/4-1/2
1351 ft.

MAIN STREET GULF
138 MAIN ST
WESTERLY, RI

RI UST U001211207
N/A

Site 1 of 6 in cluster F

Relative:
Lower

Actual:
19 ft.

UST:

Facility ID: 509
 Tank Status: Permanently Closed
 Tank Substance: GASOLINE

Tank ID: 1
 Tank Capacity: 4000 Gals
 Date Installed: 2001-04-25 00:00:00

Facility ID: 509
 Tank Status: Permanently Closed
 Tank Substance: GASOLINE

Tank ID: 2
 Tank Capacity: 3000 Gals
 Date Installed: 2001-04-25 00:00:00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

MAIN STREET GULF (Continued)

U001211207

Facility ID: 509	Tank ID: 3
Tank Status: Permanently Closed	Tank Capacity: 3000 Gals
Tank Substance: GASOLINE	Date Installed: 2001-04-25 00:00:00
Facility ID: 509	Tank ID: 4
Tank Status: Permanently Closed	Tank Capacity: 4000 Gals
Tank Substance: GASOLINE	Date Installed: 2001-04-25 00:00:00
Facility ID: 509	Tank ID: 5
Tank Status: Permanently Closed	Tank Capacity: 4000 Gals
Tank Substance: GASOLINE	Date Installed: 2001-04-25 00:00:00
Facility ID: 509	Tank ID: 6
Tank Status: Permanently Closed	Tank Capacity: 4000 Gals
Tank Substance: UNKNOWN	Date Installed: 2001-04-25 00:00:00
Facility ID: 509	Tank ID: 7
Tank Status: Permanently Closed	Tank Capacity: 500 Gals
Tank Substance: WASTE OIL	Date Installed: 2001-04-25 00:00:00

F27
ESE
1/4-1/2
1351 ft.

QUALITY AUTO ELECTRIC
138 MAIN ST
WESTERLY, RI 02891

RCRA-SQG 1000914275
FINDS RI5000001537

Relative:
Lower

Site 2 of 6 in cluster F

Actual:
19 ft.

RCRAInfo:
 Owner: LESLIE J GAGNON
 (401) 596-8460
 EPA ID: RI5000001537
 Contact: LESLIE GAGNON
 (401) 596-8460
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

E28
North
1/4-1/2
1421 ft.

DAHL OIL CO INC THE
21 LIBERTY ST
PAWCATUCK, CT 06379

RCRA-SQG 1000417610
FINDS CTD983871567

Relative:
Higher

Site 2 of 3 in cluster E

Actual:
26 ft.

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site		Database(s)	EDR ID Number EPA ID Number
--	------	--	-------------	--------------------------------

DAHL OIL CO INC THE (Continued)

1000417610

RCRAInfo:
 Owner: DAHL OIL CO
 (203) 555-1212
 EPA ID: CTD983871567
 Contact: Not reported
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:
 Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

F29
ESE
1/4-1/2
1424 ft.

TWIN STATE AUTO SALES
145 MAIN STREET
WESTERLY, RI 02891

RCRA-SQG 1000306093
FINDS RID987467529

Relative:
Lower

Site 3 of 6 in cluster F

Actual:
19 ft.

RCRAInfo:
 Owner: TWIN STATE AUTO SALES
 (401) 555-1212
 EPA ID: RID987467529
 Contact: Not reported
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:
 Other Pertinent Environmental Activity Identified at Site:
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

F30
ESE
1/4-1/2
1424 ft.

DAN & BOBS AUTO TRANS REPAIR
145 MAIN ST
WESTERLY, RI 02891

RCRA-SQG 1000875584
FINDS RID987487774

Relative:
Lower

Site 4 of 6 in cluster F

Actual:
19 ft.

RCRAInfo:
 Owner: DOMINIC A DIFAZIO
 (401) 596-0450
 EPA ID: RID987487774
 Contact: DANIEL SPINNER
 (401) 396-0330
 Classification: Small Quantity Generator
 TSDF Activities: Not reported

MAP FINDINGS

Map ID			
Direction			
Distance			
Distance (ft.)			EDR ID Number
Elevation	Site	Database(s)	EPA ID Number

DAN & BOBS AUTO TRANS REPAIR (Continued)

1000875584

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

F31 MAINTENANCE PLUS AUTO SERVICE
ESE 145 MAIN ST
1/4-1/2 WESTERLY, RI 02891
1424 ft.

RCRA-SQG 1004779353
FINDS RI5000009282

Site 5 of 6 in cluster F

Relative:
Lower

RCRAInfo:
 Owner: DOMINIC DIFAZIO
 (401) 596-0450
 EPA ID: RI5000009282
 Contact: Not reported
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

Actual:
19 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

F32 TRAVEL CONNECTION
ESE 145 MAIN ST
1/4-1/2 WESTERLY, RI 02891
1424 ft.

RCRA-SQG 1004779378
FINDS RI5000009688

Site 6 of 6 in cluster F

Relative:
Lower

RCRAInfo:
 Owner: DOMINIC DEFAZIO
 (401) 596-6343
 EPA ID: RI5000009688
 Contact: RICHARD BROWN
 (401) 596-8455
 Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

Actual:
19 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

G33 DOUGLAS-RANDALL, INC./HARRIS GRAPHICS CT PROPERTY S104563487
SSE 100 MECHANIC STREET CT SDADB N/A
1/4-1/2 STONINGTON, CT
1453 ft.

Site 1 of 3 in cluster G

Relative:
Lower

Actual:
13 ft.

CT Property:
 Date Recieved: 3/30/1994
 Property Transfer Forms: Form I (DEP-PERD-PTP-201) when no release of hazardous waste has occurred at the parcel being transferred.

Seller Name : Douglas-Randall, Inc
 Buyer Name : Silicon Power Corporation
 Certifying Party : Not reported
 Certifying Attention Person : Not reported
 Title Of Certifying Person : Not reported
 Certifying Person Address : Not reported

Ackn Date : 4/13/1995
 Determination Date : Not reported
 LEP Verified/DEP Approval Date :Not reported

Date Recieved: 3/23/1999
 Property Transfer Forms: Form III (DEP-PERD-PTP-203) when a discharge, spillage, uncontrolled loss, seepage or filtration of hazardous waste has occurred at the parcel that has not been fully remediated or the environmental conditions at the parcel are unknown. The person signing the Form III certification agrees to investigate and remediate the site in accordance with the remediation standards. The statute does not require completion of remediation before the parcel is transferred. Any person submitting a Form III shall simultaneously submit a completed Environmental Condition Assessment Form (ECAF)(DEP-PERD-PTP-200).

Seller Name : HWP
 Buyer Name : Delaware LLC c/o Quadrelle Realty
 Certifying Party : Kenneth Jones
 Certifying Attention Person : Kenneth Jones
 Title Of Certifying Person : Not reported
 Certifying Person Address : 121 Broadway
 Dover, NH 03820

Ackn Date : 8/17/1999
 Determination Date : 8/26/1999
 LEP Verified/DEP Approval Date :Not reported

Site Discovery and Assessment:

Facility ID: 5082
 WPC Number : Not reported
 Rem ID : Not reported
 Lat/Long : Not reported
 Lat/Long Determined By : Not reported
 Waste Type 1 : Not reported
 Waste Type 2 : Not reported
 Waste Type 3 : Not reported
 Disposal 1 : Not reported
 Disposal 2 : Not reported
 Disposal 3 : Not reported
 Sample Data Available : No
 Ground Water Quality Classification : Not reported
 Surface Water Quality Classification : Not reported
 PTP Id: 1799
 Postal District: Not reported
 Lat/Lon: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DOUGLAS-RANDALL, INC./HARRIS GRAPHICS (Continued)

S104563487

Updated By: Not reported
Update Program: Not reported
Updated: Not reported
Duplicate: No
Federal
EPA CERCLIS Id : Not reported
Number EPA RCRIS Id : Not reported
Site on EPA's CERCLIS : Not reported
Site Archived from CERCLIS : Not reported
Date of archive : Not reported
EPA's Removal at Site : Not reported
Deferred to another EPA Program : Not reported
EPA Env Priority Initiative Site : Not reported
Federal Facility : Not reported
Site on EPA's National Priority List : Not reported
Part of an NPL site : Not reported
RCRA Generator Status : Not reported
RCRA Permit Status : Not reported
Referral
Referral Id: 5255
Source of referral: PTP
Date received: 9/9/1988
Staff assigned: Not reported
Remediation program: PTP
Date assigned: Not reported
Date completed: 9/9/1988
Outcome: PTP
Referral
Referral Id: 5256
Source of referral: PTP
Date received: 3/23/1999
Staff assigned: CZECHOTKA, J.
Remediation program: PTP
Date assigned: Not reported
Date completed: 3/23/1999
Outcome: PTP
Remedial
Remedial Id : Not reported
PTP Id : Not reported
Remediation Program : Not reported
Remediation Program Entered : Not reported
Staff Assigned : Not reported
Remediation Program : Not reported
Date assigned : Not reported
Project Phase : Not reported
Order issued : Not reported
Order Number : Not reported
Date order issued : Not reported
Remedial Investigation Start : Not reported
Remedial Investigation Completed : Not reported
Remedial Design Start : Not reported
Remedial Design complet : Not reported
Remedial Action Start : Not reported
Remedial Action Completed : Not reported
Date Oper/ maintenance Started : Not reported
GW monitoring : Not reported
Remediation complete Approved DEP/Verified by LEP :Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

DOUGLAS-RANDALL, INC./HARRIS GRAPHICS (Continued)

S104563487

Orders
 Order Id : Not reported
 Order number : Not reported
 Date Order Issued : Not reported
 Staff assigned : Not reported
 Type of Order : Not reported
 Order Respondent : Not reported
 Admin Appeal Date : Not reported
 Admin Appeal Ruling : Not reported
 Date of Admin Appeal Ruling : Not reported
 Date of Final Order : Not reported
 Date of Court Appeal : Not reported
 Court ruling : Not reported
 Date of Court Ruling : Not reported
 Date Order Modified : Not reported
 Date Order Revoked : Not reported
 Date Referred to AG : Not reported
 Judgement : Not reported
 Date of AGR judgement : Not reported
 Penalty assessed : Not reported
 Order Complete : Not reported
 In compliance : Not reported
 Comments : Not reported

G34
 SSE
 1/4-1/2
 1453 ft.

DOUGLAS RANDALL INC
100 MECHANIC ST BLDG 26
PAWCATUCK, CT 06379

RCRA-SQG 1000362341
FINDS CTD991288895

Site 2 of 3 in cluster G

Relative:
 Lower

Actual:
 13 ft.

RCRAInfo:
 Owner: HARRIS CORP
 (203) 555-1212
 EPA ID: CTD991288895
 Contact: DAN ZIROLI
 (203) 599-2075

Classification: Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 01/27/1987
 Actual Date Achieved Compliance: 07/08/1992

There are 1 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19920708

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

DOUGLAS RANDALL INC (Continued)

1000362341

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

E35
 North
 1/4-1/2
 1480 ft.

LAWTONS INC
 21 LIBERTY ST
 PAWCATUCK, CT 06379

CT UST U002022807
 N/A

Site 3 of 3 in cluster E

Relative:
 Higher

UST:

Actual:
 28 ft.

Facility Id: 2371
 Tank ID: 15
 Alt. Facility ID: 137-2371
 Alt. Tank ID: G1
 Tank Status: Permanently Out of Use
 Capacity: 5000
 Substance: Gasoline
 Closure Status: Removed
 Date Installed: 10/1/1970
 Date Last Used: 5/1/1988
 Tank Material: Asphalt Coated or Bare Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 41° 22' 40" / 7° 15' 4"

Facility Id: 2371
 Tank ID: 2
 Alt. Facility ID: 137-2371
 Alt. Tank ID: A2
 Tank Status: Permanently Out of Use
 Capacity: 12500
 Substance: Gasoline
 Closure Status: Tank removed from ground
 Date Installed: 8/1/1974
 Date Last Used: 6/1/1993
 Tank Material: Asphalt Coated or Bare Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 41° 22' 40" / 7° 15' 4"

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LAWTONS INC (Continued)

U002022807

Facility Id: 2371
Tank ID: 3
Alt. Facility ID: 137-2371
Alt. Tank ID: A3
Tank Status: Permanently Out of Use
Capacity: 12500
Substance: Gasoline
Closure Status: Tank removed from ground
Date Installed: 8/1/1974
Date Last Used: 6/1/1993
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

Facility Id: 2371
Tank ID: 4
Alt. Facility ID: 137-2371
Alt. Tank ID: B1
Tank Status: Permanently Out of Use
Capacity: 10000
Substance: Gasoline
Closure Status: Removed
Date Installed: 5/1/1964
Date Last Used: 5/1/1988
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LAWTONS INC (Continued)

U002022807

Facility Id: 2371
Tank ID: 11
Alt. Facility ID: 137-2371
Alt. Tank ID: E1
Tank Status: Permanently Out of Use
Capacity: 5000
Substance: Gasoline
Closure Status: Removed
Date Installed: 6/1/1961
Date Last Used: 5/1/1988
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

Facility Id: 2371
Tank ID: 6
Alt. Facility ID: 137-2371
Alt. Tank ID: B3
Tank Status: Permanently Out of Use
Capacity: 10000
Substance: Heating Oil
Closure Status: Removed
Date Installed: 5/1/1964
Date Last Used: 5/1/1988
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

LAWTONS INC (Continued)

U002022807

Facility Id: 2371
Tank ID: 7
Alt. Facility ID: 137-2371
Alt. Tank ID: C1
Tank Status: Permanently Out of Use
Capacity: 10000
Substance: Gasoline
Closure Status: Closed in Place
Date Installed: 5/1/1964
Date Last Used: 5/1/1988
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

Facility Id: 2371
Tank ID: 8
Alt. Facility ID: 137-2371
Alt. Tank ID: C1R1
Tank Status: Currently In Use
Capacity: 5000
Substance: Gasoline
Closure Status: Not reported
Date Installed: 5/1/1988
Date Last Used: Not reported
Tank Material: Cathodically Protected Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

LAWTONS INC (Continued)

U002022807

Facility Id: 2371
 Tank ID: 1
 Alt. Facility ID: 137-2371
 Alt. Tank ID: A1
 Tank Status: Permanently Out of Use
 Capacity: 12500
 Substance: Gasoline
 Closure Status: Tank removed from ground
 Date Installed: 8/1/1974
 Date Last Used: 6/1/1993
 Tank Material: Asphalt Coated or Bare Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 41° 22' 40" / 7° 15' 4"

Facility Id: 2371
 Tank ID: 10
 Alt. Facility ID: 137-2371
 Alt. Tank ID: D1R1
 Tank Status: Currently In Use
 Capacity: 5000
 Substance: Gasoline
 Closure Status: Not reported
 Date Installed: 5/1/1988
 Date Last Used: Not reported
 Tank Material: Cathodically Protected Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 41° 22' 40" / 7° 15' 4"

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

LAWTONS INC (Continued)

U002022807

Facility Id: 2371
 Tank ID: 14
 Alt. Facility ID: 137-2371
 Alt. Tank ID: F1R1
 Tank Status: Currently In Use
 Capacity: 5000
 Substance: Gasoline
 Closure Status: Not reported
 Date Installed: 5/1/1988
 Date Last Used: Not reported
 Tank Material: Cathodically Protected Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 41° 22' 40" / 7° 15' 4"

Facility Id: 2371
 Tank ID: 13
 Alt. Facility ID: 137-2371
 Alt. Tank ID: F1
 Tank Status: Permanently Out of Use
 Capacity: 5000
 Substance: Gasoline
 Closure Status: Removed
 Date Installed: 6/1/1961
 Date Last Used: 5/1/1988
 Tank Material: Asphalt Coated or Bare Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 41° 22' 40" / 7° 15' 4"

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

LAWTONS INC (Continued)

U002022807

Facility Id: 2371
Tank ID: 12
Alt. Facility ID: 137-2371
Alt. Tank ID: E1R1
Tank Status: Currently In Use
Capacity: 5000
Substance: Gasoline
Closure Status: Not reported
Date Installed: 5/1/1988
Date Last Used: Not reported
Tank Material: Cathodically Protected Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

Facility Id: 2371
Tank ID: 9
Alt. Facility ID: 137-2371
Alt. Tank ID: D1
Tank Status: Permanently Out of Use
Capacity: 5000
Substance: Gasoline
Closure Status: Removed
Date Installed: 12/1/1971
Date Last Used: 5/1/1988
Tank Material: Asphalt Coated or Bare Steel
2ndary Material: None
Pipe Material: Galvanized Steel
2ndary Material: None
Spill Installed: No
Overfill Installed: No
Owner: D. V. CORPORATION
21 LIBERTY ST.
Pawcatuck, RI 06379
Lat/Long: 41° 22' 40" / 7° 15' 4"

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

LAWTONS INC (Continued)

U002022807

Facility Id: 2371
 Tank ID: 5
 Alt. Facility ID: 137-2371
 Alt. Tank ID: B2
 Tank Status: Permanently Out of Use
 Capacity: 10000
 Substance: Gasoline
 Closure Status: Removed
 Date Installed: 5/1/1964
 Date Last Used: 5/1/1988
 Tank Material: Asphalt Coated or Bare Steel
 2ndary Material: None
 Pipe Material: Galvanized Steel
 2ndary Material: None
 Spill Installed: No
 Overfill Installed: No
 Owner: D. V. CORPORATION
 21 LIBERTY ST.
 Pawcatuck, RI 06379
 Lat/Long: 41° 22' 40" / 7° 15' 4"

**H36
 SE
 1/4-1/2
 1542 ft.**

**XTRA MART - WESTERLY
 155 MAIN STREET
 WESTERLY, RI**

**RI LUST S105527905
 N/A**

**Relative:
 Lower**

Site 1 of 3 in cluster H

LUST:
 Project Number: 3840-LS
 Project Date: 4/9/2002
 Tank Status: **Active; Investigation/Remed. Required**

**Actual:
 16 ft.**

**G37
 SSE
 1/4-1/2
 1567 ft.**

**HARRIS CORTRELL
 COOLING WTR -SURFACE
 , CT**

**CT LWDS W991101095
 N/A**

**Relative:
 Lower**

Site 3 of 3 in cluster G

LWDS:
 ArcView Legend Symbology: COOL WTR-S
 Leachate and Wastewater Name: COOLING WTR -SURFACE
 Leachate and Wastewater Number: 1000004
 Status of the Discharge Activity: ACTIVE
 Leachate and Waste Flow: SURFACE
 Feature Number on Hazardous Waste List: 0
 Subregional Basin Feature Number: 1000
 Name: Harris Cortrell
 Alias: Not reported
 Description: cooling water discharge
 Lat/Long: 41.37069 / -71.83361
 State Plane x/y: 1251523 / 697125

**Actual:
 16 ft.**

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	Database(s)	EDR ID Number EPA ID Number
I38 NE 1/4-1/2 1572 ft.	RI DOT - BROAD/MAIN BROAD / MAIN ST WESTERLY, RI Site 1 of 2 in cluster I Relative: Higher Actual: 39 ft. HWS: Facility Status: Active Project Code: BRMN-HWM Project Code Desc: State Project Date: 8/29/1998	RI SHWS	S104410827 N/A
I39 NE 1/4-1/2 1572 ft.	WASHINGTON TRUST COMPANY 23 BROAD ST WESTERLY, RI Site 2 of 2 in cluster I Relative: Higher Actual: 39 ft. UST: Facility ID: 2670 Tank Status: Permanently Closed Tank Substance: HEATING OIL NO.2 Facility ID: 2670 Tank Status: In Use Tank Substance: HEATING OIL NO.2	RI UST	U001212744 N/A
H40 SE 1/4-1/2 1619 ft.	AFFORDABLE FURNISHINGS 160 MAIN ST WESTERLY, RI Site 2 of 3 in cluster H Relative: Lower Actual: 15 ft. UST: Facility ID: 18799 Tank Status: Permanently Closed Tank Substance: UNKNOWN	RI UST	U003755015 N/A
H41 SE 1/4-1/2 1691 ft.	SOUCY TIRE CENTER INC 179 MAIN ST WESTERLY, RI 02891 Site 3 of 3 in cluster H Relative: Lower Actual: 15 ft. RCRAInfo: Owner: A F NARDONE (401) 322-7318 EPA ID: RID987471182 Contact: JOSEPH SOUCY (401) 596-4901 Classification: Small Quantity Generator TSDF Activities: Not reported	RCRA-SQG FINDS RI UST	1000182485 RID987471182

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SOUCY TIRE CENTER INC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000182485

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

UST:

Facility ID:	2586	Tank ID:	1
Tank Status:	Permanently Closed	Tank Capacity:	1000 Gals
Tank Substance:	HEATING OIL NO.2	Date Installed:	2001-04-25 00:00:00
Facility ID:	2586	Tank ID:	2
Tank Status:	Permanently Closed	Tank Capacity:	9999999 Gals
Tank Substance:	OTHER	Date Installed:	2001-04-25 00:00:00
Facility ID:	2586	Tank ID:	3
Tank Status:	Permanently Closed	Tank Capacity:	9999999 Gals
Tank Substance:	OTHER	Date Installed:	2001-04-25 00:00:00

**J42
 SE
 1/4-1/2
 1696 ft.**

**ELITE CLEANERS INCORPORATED
 181 MAIN STREET
 WESTERLY, RI 02891**

**RCRA-SQG
 FINDS
 RI LUST**

**1000396921
 RID018581702**

Site 1 of 2 in cluster J

**Relative:
 Lower**

**Actual:
 14 ft.**

RCRAInfo:
 Owner: ELITE CLEANERS INC
 (401) 555-1212
 EPA ID: RID018581702
 Contact: ROBERT SICILIAN
 (401) 596-2192

Classification: Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: 5.09
 Area of Violation: GENERATOR-MANIFEST REQUIREMENTS
 Date Violation Determined: 03/13/2002
 Actual Date Achieved Compliance: 04/22/2002
 Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 04/22/2002
 Penalty Type: Not reported

Regulation Violated: 7.01
 Area of Violation: GENERATOR-OTHER REQUIREMENTS
 Date Violation Determined: 03/13/2002
 Actual Date Achieved Compliance: 05/15/2002
 Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 04/22/2002
 Penalty Type: Not reported

Regulation Violated: 5.03, 262.20
 Area of Violation: GENERATOR-MANIFEST REQUIREMENTS
 Date Violation Determined: 03/13/2002
 Actual Date Achieved Compliance: 05/15/2002
 Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 04/22/2002

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

ELITE CLEANERS INCORPORATED (Continued)

1000396921

Penalty Type: Not reported
 Regulation Violated: 5.06, 262.40
 Area of Violation: GENERATOR-RECORDKEEPING REQUIREMENTS
 Date Violation Determined: 03/13/2002
 Actual Date Achieved Compliance: 05/15/2002
 Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 04/22/2002
 Penalty Type: Not reported

There are 4 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-MANIFEST REQUIREMENTS	20020422
	GENERATOR-OTHER REQUIREMENTS	20020515
	GENERATOR-MANIFEST REQUIREMENTS	20020515
	GENERATOR-RECORDKEEPING REQUIREMENTS	20020515

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIRS FACILITY SYSTEM
 RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

LUST:

Project Number: 3812-LS
 Project Date: 5/1/1987
 Tank Status: Inactive; Investigation/Remed. Complete, No Further Action Required

J43
 SE
 1/4-1/2
 1703 ft.

TOWN & COUNTRY BEAUTY SALON
 182 MAIN ST
 WESTERLY, RI

RI UST U003114278
 N/A

Site 2 of 2 in cluster J

Relative:
 Lower

UST:

Facility ID: 3286	Tank ID: 1
Tank Status: Permanently Closed	Tank Capacity: 250 Gals
Tank Substance: HEATING OIL NO.2	Date Installed: 1966-05-01 00:00:00

Actual:
 14 ft.

44
 ESE
 1/4-1/2
 1868 ft.

JOHN FORD DEALERSHIP(ST. PIUS CHURCH)
 160 MAIN (44 ELM ST) ST
 WESTERLY, RI

RI UST U003759544
 N/A

Relative:
 Higher

UST:

Facility ID: 18833	Tank ID: 1
Tank Status: Permanently Closed	Tank Capacity: 1000 Gals
Tank Substance: WASTE OIL	Date Installed: 2001-04-25 00:00:00

Actual:
 38 ft.

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	Database(s)	EDR ID Number EPA ID Number
50 North 1/2-1 3272 ft.	CONN. INVESTMENT CASTING CO. MISCELLANEOUS -GRND , CT	CT LWDS	W991101093 N/A
Relative: Lower	LWDS: ArcView Legend Symbology: MISC -GRND Leachate and Wastewater Name: MISCELLANEOUS -GRND Leachate and Wastewater Number: 1000002 Status of the Discharge Activity: ACTIVE Leachate and Waste Flow: GROUND Feature Number on Hazardous Waste List: 0 Subregional Basin Feature Number: 1000 Name: Conn. Investment Casting Co. Alias: Not reported Description: metals and organic chemicals to ground Lat/Long: 41.38373 / -71.83406 State Plane x/y: 1251350 / 701876		
Actual: 18 ft.			
51 NE 1/2-1 3290 ft.	RI NATIONAL GUARD 2 DIXON STREET WESTERLY, RI	RI LUST	S101361109 N/A
Relative: Higher	LUST: Project Number: 3822-LS Project Date: 9/10/1994 Tank Status: Inactive; Investigation/Remed. Complete, No Further Action Required		
Actual: 45 ft.			
52 East 1/2-1 3565 ft.	VOSE STREET PROPERTY 2 VOSE STREET WESTERLY, RI	RI SHWS	S103247562 N/A
Relative: Higher	HWS: Facility Status: Inactive Project Code: VOSE-HWM Project Code Desc: State Project Date: 1/23/1998		
Actual: 137 ft.			
53 NE 1/2-1 4462 ft.	UNITED BUILDERS SUPPLY CO INC 30 OAK ST WESTERLY, RI 02891	RCRA-SQG RI SHWS FINDS RI LUST CT CT MANIFEST	1000398287 RID987466984
Relative: Higher	RCRAInfo: Owner: MICHAEL SLOSBERG (401) 596-2831 EPA ID: RID987466984 Contact: RAY JONES (401) 596-2831 Classification: Small Quantity Generator TSDF Activities: Not reported		
Actual: 58 ft.			

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

UNITED BUILDERS SUPPLY CO INC (Continued)

1000398287

Violation Status: Violations exist

Regulation Violated: 262.11
Area of Violation: HAZARDOUS WASTE DETERMINATIONS
Date Violation Determined: 06/17/1997
Actual Date Achieved Compliance: 08/13/1997
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 07/01/1997
Penalty Type: Not reported
Regulation Violated: 262.30-34
Area of Violation: GENERATOR-PRE-TRANSPORT REQUIREMENTS
Date Violation Determined: 06/17/1997
Actual Date Achieved Compliance: 08/13/1997
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 07/01/1997
Penalty Type: Not reported

There are 2 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	HAZARDOUS WASTE DETERMINATIONS	19970813
	GENERATOR-PRE-TRANSPORT REQUIREMENTS	19970813

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

HWS:

Facility Status: Active
Project Code: UBS-HWM
Project Code Desc: State
Project Date: 8/6/2004

LUST:

Project Number: 3802-LS
Project Date: 12/8/1988
Tank Status: Soil Removal Only; No Further Action Required

CT MANIFEST:

Manifest ID: CTF0448549
TSDf EPA ID: CTD021816889
TSDf Telephone: Not reported
TSDf Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDf Address: 136 GRACEY AVE.
MERIDEN, CT 06451
TSDf Country: USA
Transporter 1 EPA ID: CTD021816889
Trans. 1 Phone: Not reported
Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Trans. 1 Address: Not reported
CT
Trans. 1 Country: USA
Transporter 2 EPA ID: Not reported
Trans. 2 Phone: Not reported
Trans. 2 Name: Not reported
Trans. 2 Address: Not reported
CT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

UNITED BUILDERS SUPPLY CO INC (Continued)

1000398287

Trans. 2 Country: USA
 Transp. 1 date: 19960220
 Transp. 1 date: Not reported
 Generator EPA ID: RID987466984
 Facility Phone: Not reported
 Site Address: Not reported
 Not reported
 Site County: Not reported
 Special Handling: Not reported
 Discrepancies: Not reported
 Date Shipped: 19960220
 Date Received: 19960222
 Comments: Not reported
 Year: 1996
 Last modified date: 20040426
 Last modified by: IG

Manifest ID: CTF0900248
 TSDf EPA ID: CTD021816889
 TSDf Telephone: Not reported
 TSDf Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
 TSDf Address: 136 GRACEY AVE.
 MERIDEN, CT 06451

TSDf Country: USA
 Transporter 1 EPA ID: CTD021816889
 Trans. 1 Phone: Not reported
 Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
 Trans. 1 Address: Not reported
 CT

Trans. 1 Country: USA
 Transporter 2 EPA ID: Not reported
 Trans. 2 Phone: Not reported
 Trans. 2 Name: Not reported
 Trans. 2 Address: Not reported
 CT

Trans. 2 Country: USA
 Transp. 1 date: 19991124
 Transp. 1 date: Not reported
 Generator EPA ID: RID987466984
 Facility Phone: 4015962831
 Site Address: Not reported
 Not reported

Site County: Not reported
 Special Handling: Not reported
 Discrepancies: No
 Date Shipped: 19991124
 Date Received: 19991129
 Comments: Not reported
 Year: 1999
 Last modified date: 20040426
 Last modified by: IG

Manifest ID: CTF0900357
 TSDf EPA ID: CTD021816889
 TSDf Telephone: Not reported
 TSDf Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
 TSDf Address: 136 GRACEY AVE.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

UNITED BUILDERS SUPPLY CO INC (Continued)

1000398287

MERIDEN, CT 06451
 TSDF Country: USA
 Transporter 1 EPA ID: CTD021816889
 Trans. 1 Phone: Not reported
 Trans. 1 Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
 Trans. 1 Address: Not reported
 CT
 Trans. 1 Country: USA
 Transporter 2 EPA ID: Not reported
 Trans. 2 Phone: Not reported
 Trans. 2 Name: Not reported
 Trans. 2 Address: Not reported
 CT
 Trans. 2 Country: USA
 Transp. 1 date: 19991206
 Transp. 1 date: Not reported
 Generator EPA ID: RID987466984
 Facility Phone: 4015962831
 Site Address: Not reported
 Not reported
 Site County: Not reported
 Special Handling: Not reported
 Discrepancies: No
 Date Shipped: 19991206
 Date Received: 19991206
 Comments: Not reported
 Year: 1999
 Last modified date: 20040426
 Last modified by: IG

54
SSW
1/2-1
4586 ft.

CAROLE REALTY
OIL/CHEMICAL SPILLS
, CT

CT LWDS W991101096
N/A

Relative:
Lower

LWDS:

Actual:
23 ft.

ArcView Legend Symbology: SPILL
 Leachate and Wastewater Name: OIL/CHEMICAL SPILLS
 Leachate and Wastewater Number: 1000005
 Status of the Discharge Activity: INACTIVE
 Leachate and Waste Flow: GROUND
 Feature Number on Hazardous Waste List: 0
 Subregional Basin Feature Number: 1000
 Name: Carole Realty
 Alias: Not reported
 Description: fuel oil leak
 Lat/Long: 41.36271 / -71.83994
 State Plane x/y: 1249815 / 694201

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
55	NE	1/2-1	4608 ft.		BESS EATON DONUT STORE # 946 127 HIGH STREET WESTERLY, RI	RI SHWS	S106495722	N/A
	Relative:				HWS:			
	Higher				Facility Status: Active			
					Project Code: BEEA-HWM			
	Actual:				Project Code Desc: State			
	58 ft.				Project Date: 5/24/2004			
56	East	1/2-1	4616 ft.		TOWER STREET WATER TANK 15 TOWER STREET WESTERLY, RI	RI SHWS	S106664329	N/A
	Relative:				HWS:			
	Higher				Facility Status: Active			
					Project Code: TOWR-HWM			
	Actual:				Project Code Desc: State			
	165 ft.				Project Date: 9/7/2004			
L57	ESE	1/2-1	5185 ft.		JBS CLEANERS 1 EAST AVENUE WESTERLY, RI	RI SHWS	S106859390	N/A
					Site 1 of 2 in cluster L			
	Relative:				HWS:			
	Higher				Facility Status: Active			
					Project Code: JBSC-HWM			
	Actual:				Project Code Desc: State			
	145 ft.				Project Date: 12/28/2004			
L58	ESE	> 1	5291 ft.		MOBIL STATION 10 EAST AVENUE WESTERLY, RI	RI SHWS	S106114115	N/A
					Site 2 of 2 in cluster L			
	Relative:				HWS:			
	Higher				Facility Status: Active			
					Project Code: MBIL-HWM			
	Actual:				Project Code Desc: State			
	143 ft.				Project Date: 10/10/2003			

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
PAWCATUCK	S106401688	LARKIN PROPERTY	RTE 1	06379	CT LUST
PAWCATUCK	1000401955	SOUND MFG INC	RR 2 RTE 49	06379	RCRA-SQG, FINDS
PAWCATUCK	1004681372	EVANS MOBIL STA	W BROAD & LIBERTY STS	06379	RCRA-SQG, FINDS
PAWCATUCK	S105456724	FORMER DAHL OIL	16 LIBERTY ST.	06379	CT LUST
PAWCATUCK	S105456698	EVANS MOBIL	122 MAIN ST.	06379	CT LUST
PAWCATUCK	S105457246	STONINGTON SEWAGE PUMPING STAT	MECHANIC STREET	06379	CT LUST
WESTERLY	A100059975	TEXACO STATION	MECHANIC ST.	06379	CT LUST
WESTERLY	1000456708	DODGE CITY	ROUTE 1	02891	RI AST
WESTERLY	1000401952	WESTERLY TOWN OF LANDFILL	RTE 91	02891	RCRA-SQG, FINDS
WESTERLY	1000574072	WESTERLY TOWN OF D P W	39-1/2 BEACH ST HWY GARAGE	02891	RCRA-SQG, FINDS
WESTERLY	1000401954	C J 4 X 4	106 CROSS ST UNITS 8 & 9	02891	RCRA-SQG, FINDS
WESTERLY		WESTERLY TOWN LANDFILL	TOWN LANDFILL ROAD (OAK STREET)	02891	RI SW/FLF, CERC-NFRAP

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/14/05	Source: EPA
Date Data Arrived at EDR: 11/02/05	Telephone: N/A
Date Made Active in Reports: 12/07/05	Last EDR Contact: 01/31/06
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/01/06
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 8
Telephone: 303-312-6774

EPA Region 4
Telephone 404-562-8033

Proposed NPL: Proposed National Priority List Sites

Date of Government Version: 10/14/05	Source: EPA
Date Data Arrived at EDR: 11/02/05	Telephone: N/A
Date Made Active in Reports: 12/07/05	Last EDR Contact: 01/31/06
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/01/06
	Data Release Frequency: Quarterly

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/14/05	Source: EPA
Date Data Arrived at EDR: 11/02/05	Telephone: N/A
Date Made Active in Reports: 12/07/05	Last EDR Contact: 01/31/06
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/01/06
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/91
Date Data Arrived at EDR: 02/02/94
Date Made Active in Reports: 03/30/94
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 11/21/05
Next Scheduled EDR Contact: 02/20/06
Data Release Frequency: No Update Planned

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/24/05
Date Data Arrived at EDR: 12/21/05
Date Made Active in Reports: 01/30/06
Number of Days to Update: 40

Source: EPA
Telephone: 703-413-0223
Last EDR Contact: 12/21/05
Next Scheduled EDR Contact: 03/20/06
Data Release Frequency: Quarterly

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

Date of Government Version: 10/24/05
Date Data Arrived at EDR: 12/21/05
Date Made Active in Reports: 01/30/06
Number of Days to Update: 40

Source: EPA
Telephone: 703-413-0223
Last EDR Contact: 12/21/05
Next Scheduled EDR Contact: 03/20/06
Data Release Frequency: Quarterly

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 10/13/05
Date Data Arrived at EDR: 10/27/05
Date Made Active in Reports: 12/07/05
Number of Days to Update: 41

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/06/05
Next Scheduled EDR Contact: 03/06/06
Data Release Frequency: Quarterly

RCRA: Resource Conservation and Recovery Act Information

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/15/05	Source: EPA
Date Data Arrived at EDR: 12/28/05	Telephone: 800-424-9346
Date Made Active in Reports: 01/30/06	Last EDR Contact: 12/28/05
Number of Days to Update: 33	Next Scheduled EDR Contact: 02/27/06
	Data Release Frequency: Quarterly

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/04	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/27/05	Telephone: 202-260-2342
Date Made Active in Reports: 03/24/05	Last EDR Contact: 01/12/06
Number of Days to Update: 56	Next Scheduled EDR Contact: 04/24/06
	Data Release Frequency: Annually

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 08/17/05	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 10/18/05	Telephone: 202-366-4555
Date Made Active in Reports: 12/07/05	Last EDR Contact: 01/16/06
Number of Days to Update: 50	Next Scheduled EDR Contact: 04/17/06
	Data Release Frequency: Annually

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 08/02/05	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/12/05	Telephone: 703-603-8867
Date Made Active in Reports: 10/06/05	Last EDR Contact: 01/24/06
Number of Days to Update: 55	Next Scheduled EDR Contact: 04/03/06
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/10/05	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/11/05	Telephone: 703-603-8867
Date Made Active in Reports: 04/06/05	Last EDR Contact: 01/20/06
Number of Days to Update: 54	Next Scheduled EDR Contact: 04/03/06
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/04	Source: USGS
Date Data Arrived at EDR: 02/08/05	Telephone: 703-692-8801
Date Made Active in Reports: 08/04/05	Last EDR Contact: 11/11/05
Number of Days to Update: 177	Next Scheduled EDR Contact: 02/06/06
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/04	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 06/29/05	Telephone: 202-528-4285
Date Made Active in Reports: 08/08/05	Last EDR Contact: 01/19/06
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/03/06
	Data Release Frequency: Varies

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 11/29/05	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/05/05	Telephone: 202-566-2777
Date Made Active in Reports: 01/30/06	Last EDR Contact: 11/30/05
Number of Days to Update: 56	Next Scheduled EDR Contact: 03/13/06
	Data Release Frequency: Semi-Annually

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/14/04	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 02/15/05	Telephone: Varies
Date Made Active in Reports: 04/25/05	Last EDR Contact: 01/26/06
Number of Days to Update: 69	Next Scheduled EDR Contact: 04/24/06
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 10/07/05	Source: EPA
Date Data Arrived at EDR: 10/20/05	Telephone: 703-416-0223
Date Made Active in Reports: 12/07/05	Last EDR Contact: 01/04/06
Number of Days to Update: 48	Next Scheduled EDR Contact: 04/03/06
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 11/04/05	Source: Department of Energy
Date Data Arrived at EDR: 11/28/05	Telephone: 505-845-0011
Date Made Active in Reports: 01/30/06	Last EDR Contact: 10/28/05
Number of Days to Update: 63	Next Scheduled EDR Contact: 12/19/05
	Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/85	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/04	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/04	Last EDR Contact: 06/09/04
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/03	Source: EPA
Date Data Arrived at EDR: 07/13/05	Telephone: 202-566-0250
Date Made Active in Reports: 08/17/05	Last EDR Contact: 12/21/05
Number of Days to Update: 35	Next Scheduled EDR Contact: 03/20/06
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/02	Source: EPA
Date Data Arrived at EDR: 04/27/04	Telephone: 202-260-5521
Date Made Active in Reports: 05/21/04	Last EDR Contact: 01/30/06
Number of Days to Update: 24	Next Scheduled EDR Contact: 04/17/06
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/12/05	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 10/31/05	Telephone: 202-566-1667
Date Made Active in Reports: 12/20/05	Last EDR Contact: 12/20/05
Number of Days to Update: 50	Next Scheduled EDR Contact: 03/20/06
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Date of Government Version: 10/12/05	Source: EPA
Date Data Arrived at EDR: 10/31/05	Telephone: 202-566-1667
Date Made Active in Reports: 12/20/05	Last EDR Contact: 12/20/05
Number of Days to Update: 50	Next Scheduled EDR Contact: 03/20/06
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/03	Source: EPA
Date Data Arrived at EDR: 01/03/05	Telephone: 202-564-4203
Date Made Active in Reports: 01/25/05	Last EDR Contact: 01/16/06
Number of Days to Update: 22	Next Scheduled EDR Contact: 04/17/06
	Data Release Frequency: Annually

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 08/30/05	Source: EPA
Date Data Arrived at EDR: 09/13/05	Telephone: 202-564-3887
Date Made Active in Reports: 10/27/05	Last EDR Contact: 12/29/05
Number of Days to Update: 44	Next Scheduled EDR Contact: 02/06/06
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/18/05	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 10/31/05	Telephone: 301-415-7169
Date Made Active in Reports: 12/20/05	Last EDR Contact: 01/03/06
Number of Days to Update: 50	Next Scheduled EDR Contact: 04/03/06
	Data Release Frequency: Quarterly

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/08/05	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 12/27/05	Telephone: 303-231-5959
Date Made Active in Reports: 01/30/06	Last EDR Contact: 12/27/05
Number of Days to Update: 34	Next Scheduled EDR Contact: 03/27/06
	Data Release Frequency: Semi-Annually

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 09/29/05	Source: EPA
Date Data Arrived at EDR: 10/04/05	Telephone: N/A
Date Made Active in Reports: 11/14/05	Last EDR Contact: 01/03/06
Number of Days to Update: 41	Next Scheduled EDR Contact: 04/03/06
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/17/95
Date Data Arrived at EDR: 07/03/95
Date Made Active in Reports: 08/07/95
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 12/05/05
Next Scheduled EDR Contact: 03/06/06
Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/03
Date Data Arrived at EDR: 06/17/05
Date Made Active in Reports: 08/04/05
Number of Days to Update: 48

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 09/12/05
Next Scheduled EDR Contact: 12/12/05
Data Release Frequency: Biennially

STATE AND LOCAL RECORDS

SHWS: Inventory of Hazardous Disposal Sites

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 11/21/05
Date Data Arrived at EDR: 11/22/05
Date Made Active in Reports: 12/29/05
Number of Days to Update: 37

Source: Department of Environmental Protection
Telephone: 860-424-3721
Last EDR Contact: 01/30/06
Next Scheduled EDR Contact: 05/01/06
Data Release Frequency: Varies

SDADB: Site Discovery and Assessment Database

All sites reported to Permitting, Enforcement, and Remediation Division where it is suspected that hazardous waste may have been disposed or sites that are eligible for listing on the State Inventory of Hazardous Waste Disposal Sites.

Date of Government Version: 11/21/05
Date Data Arrived at EDR: 11/22/05
Date Made Active in Reports: 12/29/05
Number of Days to Update: 37

Source: Department of Environmental Protection
Telephone: 860-424-3721
Last EDR Contact: 01/30/06
Next Scheduled EDR Contact: 05/01/06
Data Release Frequency: Semi-Annually

SWF/LF: List of Landfills/Transfer Stations

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 09/23/05
Date Data Arrived at EDR: 12/05/05
Date Made Active in Reports: 12/29/05
Number of Days to Update: 24

Source: Department of Environmental Protection
Telephone: 860-424-3366
Last EDR Contact: 12/05/05
Next Scheduled EDR Contact: 02/20/06
Data Release Frequency: Annually

SWRCY: Recycling Facilities

A listing of recycling facilities.

Date of Government Version: 09/23/05
Date Data Arrived at EDR: 12/01/05
Date Made Active in Reports: 12/29/05
Number of Days to Update: 28

Source: Department of Environmental Protection
Telephone: 860-424-3223
Last EDR Contact: 11/21/05
Next Scheduled EDR Contact: 02/20/06
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST: Leaking Underground Storage Tank List

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 11/23/05	Source: Department of Environmental Protection
Date Data Arrived at EDR: 11/28/05	Telephone: 860-424-3376
Date Made Active in Reports: 12/29/05	Last EDR Contact: 01/30/06
Number of Days to Update: 31	Next Scheduled EDR Contact: 05/01/06
	Data Release Frequency: Semi-Annually

LWDS: Connecticut Leachate and Wastewater Discharge Sites

The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP. These maps locate surface and groundwater discharges that (1) have received a waste water discharge permit from the state or (2) are historic and now defunct waste sites or (3) are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

Date of Government Version: 09/22/99	Source: Department of Environmental Protection
Date Data Arrived at EDR: 11/15/99	Telephone: N/A
Date Made Active in Reports: 12/09/99	Last EDR Contact: 11/07/05
Number of Days to Update: 24	Next Scheduled EDR Contact: 02/06/06
	Data Release Frequency: Varies

UST: Underground Storage Tank Data

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 12/22/05	Source: Department of Environmental Protection
Date Data Arrived at EDR: 01/16/06	Telephone: 860-424-3376
Date Made Active in Reports: 01/31/06	Last EDR Contact: 01/09/06
Number of Days to Update: 15	Next Scheduled EDR Contact: 03/27/06
	Data Release Frequency: Semi-Annually

AST: Marine Terminals and Tank Information

A listing of bulk petroleum facilities that receive petroleum by a vessel.

Date of Government Version: 10/28/04	Source: Department of Environmental Protection
Date Data Arrived at EDR: 10/28/04	Telephone: 860-424-3233
Date Made Active in Reports: 12/09/04	Last EDR Contact: 01/26/06
Number of Days to Update: 42	Next Scheduled EDR Contact: 03/20/06
	Data Release Frequency: Varies

SPILLS: Oil & Chemical Spill Database

Oil and Chemical Spill Data.

Date of Government Version: 11/02/05	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/06/05	Telephone: 860-424-3254
Date Made Active in Reports: 01/23/06	Last EDR Contact: 01/30/06
Number of Days to Update: 48	Next Scheduled EDR Contact: 05/01/06
	Data Release Frequency: Semi-Annually

INST CONTROL: ELUR Sites

Environmental Land Use Restriction sites.

Date of Government Version: 12/05/05	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/05/05	Telephone: 860-424-3912
Date Made Active in Reports: 01/23/06	Last EDR Contact: 12/05/05
Number of Days to Update: 49	Next Scheduled EDR Contact: 03/06/06
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

VCP: Voluntary Remediation Sites

Sites involved in the Voluntary Remediation Program.

Date of Government Version: 11/21/05
Date Data Arrived at EDR: 11/22/05
Date Made Active in Reports: 12/29/05
Number of Days to Update: 37

Source: Department of Environmental Protection
Telephone: 860-424-3705
Last EDR Contact: 01/30/06
Next Scheduled EDR Contact: 05/01/06
Data Release Frequency: Varies

Brownfields: Brownfields Inventory

Date of Government Version: 10/17/05
Date Data Arrived at EDR: 10/18/05
Date Made Active in Reports: 11/23/05
Number of Days to Update: 36

Source: Connecticut Brownfields Redevelopment Authority
Telephone: 860-258-7833
Last EDR Contact: 01/16/06
Next Scheduled EDR Contact: 04/17/06
Data Release Frequency: Varies

ENFORCEMENT: Enforcement Case Listing

The types of enforcement actions included are administrative consent orders, final unilateral orders and final dispositions of civil cases through the Attorney General's Office.

Date of Government Version: 09/30/05
Date Data Arrived at EDR: 11/16/05
Date Made Active in Reports: 12/29/05
Number of Days to Update: 43

Source: Department of Environmental Protection
Telephone: 860-424-3265
Last EDR Contact: 11/14/05
Next Scheduled EDR Contact: 02/13/06
Data Release Frequency: Varies

CT PROPERTY: Property Transfer Filings

A listing of sites that meet the definition of a hazardous waste establishment. They can be generators, dry cleaners, furniture strippers, etc. These sites have been sold to another owner.

Date of Government Version: 11/21/05
Date Data Arrived at EDR: 11/22/05
Date Made Active in Reports: 12/29/05
Number of Days to Update: 37

Source: Department of Environmental Protection
Telephone: 860-424-3789
Last EDR Contact: 01/30/06
Next Scheduled EDR Contact: 05/01/06
Data Release Frequency: Semi-Annually

TRIBAL RECORDS

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/04
Date Data Arrived at EDR: 02/08/05
Date Made Active in Reports: 08/04/05
Number of Days to Update: 177

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 11/11/05
Next Scheduled EDR Contact: 02/06/06
Data Release Frequency: Semi-Annually

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/15/05
Date Data Arrived at EDR: 12/05/05
Date Made Active in Reports: 12/28/05
Number of Days to Update: 23

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: 01/25/06
Next Scheduled EDR Contact: 04/24/06
Data Release Frequency: No Update Planned

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation
Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Child Care Facilities

Source: Department of Public Health
Telephone: 860-509-8045

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

STREET AND ADDRESS INFORMATION

© 2004 Geographic Data Technology, Inc., Rel. 07/2004. This product contains proprietary and confidential property of Geographic Data Technology, Inc. Unauthorized use, including copying for other than testing and standard backup procedures, of this product is expressly prohibited.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

SENIOR CENTER ANNEX
27 CHASE STREET
PAWCATUCK, CT 06379

TARGET PROPERTY COORDINATES

Latitude (North):	41.374802 - 41° 22' 29.3"
Longitude (West):	71.835297 - 71° 50' 7.1"
Universal Transverse Mercator:	Zone 19
UTM X (Meters):	262884.0
UTM Y (Meters):	4584032.0
Elevation:	25 ft. above sea level

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

USGS Topographic Map: 41071-C7 WATCH HILL, RI CT
General Topographic Gradient: General East
Source: USGS 7.5 min quad index

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> NEW LONDON, CT	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	0901060017F
Additional Panels in search area:	0901060010C 4454100005C 4454100015D

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> WATCH HILL	<u>NWI Electronic Data Coverage</u> Not Available
--	--

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data:*

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

EPA DESIGNATED SOLE SOURCE AQUIFER

PAWCATUCK BASIN SSA

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Pennsylvanian
Series: Upper Paleozoic granitic rocks
Code: Pzg3 (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Plutonic and Intrusive Rocks

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: HINCKLEY

Soil Surface Texture: gravelly - sandy loam

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively. Soils have very high and high hydraulic conductivity and low water holding capacity. Depth to water table is more than 6 feet.

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: LOW

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	gravelly - sandy loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 20.00 Min: 6.00	Max: 6.00 Min: 3.60
2	7 inches	15 inches	gravelly - loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 20.00 Min: 6.00	Max: 6.00 Min: 3.60
3	15 inches	65 inches	stratified	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 20.00 Min: 20.00	Max: 6.00 Min: 3.60

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: sandy loam
fine sandy loam
very stony - fine sandy loam
muck

Surficial Soil Types: sandy loam
fine sandy loam
very stony - fine sandy loam
muck

Shallow Soil Types: fine sandy loam

Deeper Soil Types: fine sandy loam
sand
gravelly - sandy loam
unweathered bedrock

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	CT1370122	1/8 - 1/4 Mile NNE

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
2	CTC000000000806	1/4 - 1/2 Mile NNE

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
NNE
1/8 - 1/4 Mile
Lower

FRDS PWS CT1370122

PWS ID: CT1370122 PWS Status: Active
Date Initiated: 7706 Date Deactivated: Not Reported
PWS Name: COVELEDGE MOTEL

352 STONINGTON
PAWCATUCK, CT 06379

Addressee / Facility: System Owner/Responsible Party
COVE LEDGE MOTEL
352 STONINGTON RD
PAWCATUCK, CT 06379

Facility Latitude: 41 22 37 Facility Longitude: 071 50 03
City Served: Not Reported
Treatment Class: Untreated Population: 00000030

PWS currently has or had major violation(s) or enforcement: No

2
NNE
1/4 - 1/2 Mile
Lower

CT WELLS CTC000000000806

CT Community Well

Well ID: 859
Supply System ID: 137003
Source Status: Emergency
Groundwater Aquifer Type: Stratified Drift
Depth: 65 Feet
Well Diameter: 24
Pump Capacity: 700

Well Name: Noyes Avenue Well
Supply System Name: WESTERLY WATER DEPT
Type: Gravel Pack
GIS Date/Method: 1984 Tablet Digitize
Depth to Bedrock: 0 Feet
Casing Diameter: 12
Safe Yield: .75599

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: CT Radon

Radon Test Results

City	Total Sites	< 4 Pci/L	4 < 10 Pci/L	10 < 20 Pci/L	20 < 50 Pci/L	50 < 100 Pci/L	> 100 Pci/L
Baltic	74	50 (67.7)	19 (25.7)	4 (5.4)	1 (1.4)	0 (0)	0 (0)
Bozrah	2	1 (50)	1 (50)	0 (0)	0 (0)	0 (0)	0 (0)
Canterbury	8	4 (50)	1 (12.5)	2 (25)	1 (12.5)	0 (0)	0 (0)
Colchester	6	4 (66.7)	2 (33.3)	0 (0)	0 (0)	0 (0)	0 (0)
East Lyme	1	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Franklin	33	29 (87.9)	2 (6.1)	1 (3)	1 (3)	0 (0)	0 (0)
Gales Ferry	10	6 (60)	2 (20)	2 (20)	0 (0)	0 (0)	0 (0)
Griswold	3	1 (33.3)	2 (66.7)	0 (0)	0 (0)	0 (0)	0 (0)
Groton	113	96 (84.9)	10 (8.9)	7 (6.2)	0 (0)	0 (0)	0 (0)
Hanover	25	11 (44)	8 (32)	4 (16)	2 (8)	0 (0)	0 (0)
Lebanon	8	4 (50)	3 (37.5)	0 (0)	1 (12.5)	0 (0)	0 (0)
Ledyard	6	6 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Lyme	3	3 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Montville	101	84 (83.1)	11 (10.9)	5 (5)	1 (1)	0 (0)	0 (0)
Mystic	9	7 (77.8)	2 (22.2)	0 (0)	0 (0)	0 (0)	0 (0)
New London	68	66 (97)	2 (3)	0 (0)	0 (0)	0 (0)	0 (0)
Niantic	12	6 (50)	6 (50)	0 (0)	0 (0)	0 (0)	0 (0)
Noank	1	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
North Franklin	46	43 (93.5)	3 (6.5)	0 (0)	0 (0)	0 (0)	0 (0)
North Stonington	101	73 (72.3)	20 (19.8)	6 (5.9)	2 (2)	0 (0)	0 (0)
Norwich	13	11 (84.6)	2 (85.4)	0 (0)	0 (0)	0 (0)	0 (0)
Oakdale	29	13 (44.8)	8 (27.6)	6 (20.7)	2 (6.9)	0 (0)	0 (0)
Old Lyme	4	2 (50)	2 (50)	0 (0)	0 (0)	0 (0)	0 (0)
Old Mystic	5	2 (40)	1 (20)	2 (40)	0 (0)	0 (0)	0 (0)
Pawcatuck	4	1 (25)	3 (75)	0 (0)	0 (0)	0 (0)	0 (0)
Preston	100	87 (87)	12 (12)	1 (1)	0 (0)	0 (0)	0 (0)
Salem	11	7 (63.6)	36.3 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Sprague	1	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Stonington	103	87 (84.5)	10 (9.7)	4 (3.9)	2 (1.9)	0 (0)	0 (0)
Taftville	1	1 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Uncasville	13	6 (46.1)	5 (38.5)	6 (15.4)	0 (0)	0 (0)	0 (0)
Voluntown	84	59 (70.2)	17 (20.2)	5 (5.9)	2 (2.4)	1 (1.2)	0 (0)
Waterford	107	100 (93.5)	7 (6.5)	0 (0)	0 (0)	0 (0)	0 (0)

Federal EPA Radon Zone for NEW LONDON County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 06379

Number of sites tested: 5

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	1.200 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002. 7.5-Minute DEMs correspond to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic (SSURGO) Database

Source: Department of Agriculture, Natural Resources Conservation Services

Telephone: 800-672-5559

SSURGO depicts information about soil features on or near the surface of the Earth.

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Connecticut Leachate and Wastewater Discharge Sites

Source: Department of Environmental Protection

The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP. These maps locate surface and groundwater discharges that (1) have received a waste water discharge permit from the state or (2) are historic and now defunct waste sites or (3) are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

EPA-Approved Sole Source Aquifers in Connecticut

Source: EPA

Sole source aquifers are defined as an aquifer designated as the sole or principal source of drinking water for a given aquifer service area; that is, an aquifer which is needed to supply 50% or more of the drinking water for the area and for which there are no reasonable alternative sources should the aquifer become contaminated.

Community and Non-Community Water System Wells

Source: Department of Public Health, Water Supplies Section

Telephone: 860-509-7333

Active, emergency and inactive wells used for potable purposes that are owned and operated by active community and non-community water systems in Connecticut.

OTHER STATE DATABASE INFORMATION

RADON

State Database: CT Radon

Source: Department of Public Health

Telephone: 860-509-7367

Radon Statistical Summary

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

APPENDIX E
Additional Testing Data



041002100

EMSL ANALYTICAL, Inc.

CHAIN OF CUSTODY

EMSL Rep:

Third Party Billing requires written authorization from third party

Your Name: KRIS Cramer
Company: FSS
Street: 2685 State St
Box #:
City/State: Hamden CT Zip 06517

EMSL-Bill to: FSS
Street: 2685 State St
Box #:
City/State: Hamden CT Zip 06517

Phone Results to: Name: Kris Cramer
Telephone #: 203 288 1281
Project Name/Number: 203 28105 Pawkatuc C.C

Fax Results to: Name: Kris Cramer
Fax #: 203 248-4409
Purchase Order #:

TURNAROUND TIME

5 day for all samples

- 3 Hours, 6 Hours, 12 Hours, 24 Hours, 48 Hours, 72 Hours, 4 Days, 5 Days, 6-10 Days

SAMPLE MATRIX

- Air, Bulk, Soil, Wipe, Micro-Vac, Drinking Water, Wastewater, Chips, Other

ASBESTOS ANALYSIS

PCM - Air

- NIOSH 7400 (A) Issue 2: August 1994
OSHA w/TWA

TEM AIR

- AHERA 40 CFR, Part 763 Subpart E
NIOSH 7402 Issue 2
EPA Level II

PLM - Bulk

- EPA 600/R-93/116 (21)
NY Stratified Point Count
California Air Resource Board (CARB) 435
NIOSH 9002
PLM NOB (Gravimetric) NYS 198.1
EPA Point Count (400 Points)
EPA Point Count (1,000 Points)
Standard Addition Point Count

SOILS

- EPA Protocol Qualitative
EPA Protocol Quantitative
EMSL MSD 9000 Method fibers/gram
Superfund EPA 540-R097-028 (dust generation)

TEM BULK

- Drop Mount (Qualitative)
Chatfield SOP-1988-02
TEM NOB (Gravimetric) NY 198.4

TEM MICROVAC

- ASTM D 5755-95 (Quantitative)

TEM WIPE

- ASTM D-6480-99
Qualitative

TEM WATER

- EPA 100.1
EPA 100.2
NYS 198.2

OTHER:

LEAD ANALYSIS

Flame Atomic Absorption

- Wipe, SW846-7420 ASTM non ASTM
Soil, SW846-7420
Air, NIOSH 7082

- Chips, SW846-7420 or AOAC 5.009 (974.02) (18)

- Wastewater, SW 846-7420

- ICLP LEAD SW846-1311/7420

Graphite Furnace Atomic Absorption

- Air, NIOSH 7105
Wastewater, SW846-7421
Soil, SW846-7421
Drinking Water, EPA 239.2

ICP - Inductively Coupled Plasma

- Wipe, SW846-6010 ASTM non ASTM
Soil, SW846-6010
Air, NIOSH 7300

MATERIALS ANALYSIS

- Full Particle Identification
Optical Particle Identification
Dust Mites and Insect Fragments
Particle Size & Distribution
Product Comparison
Paint Characterization
Failure Analysis
Corrosion Analysis
Glove Box Containment Study
Petrographic Examination of Concrete
Portland Cement in Workplace Atmospheres (OSHA ID-143)
Man Made Vitreous Fibers - MMVF's
Synthetic Fiber Identification
Other

MICROBIAL ANALYSIS

Air Samples

- Mold & Fungi by Air O Cell
Mold & Fungi by Agar Plate count & id
Bacterial Count and Gram Stain
Bacterial Count and Identification

Water Samples

- Total Coliforms, Fecal Coliforms
Escherichia Coli, Fecal Streptococcus
Legionella
Salmonella
Giardia and Cryptosporidium

Wipe and Bulk Samples

- Mold & Fungi - Direct Examination (2)
Mold & Fungi - (Culture follow up to direct examination if necessary)
Mold & Fungi - Culture (Count & ID)
Mold & Fungi - Culture (Count only)
Bacterial Count & Gram Stain
Bacterial Count & Identification (3 most prominent types)
Other

IAQ ANALYSIS

- Nuisance Dust (NIOSH 6500 & 1600)
Airborne Dust (PM10, TSP)
Silica Analysis by XRD
HVAC Efficiency
Carbon Black
Airborne Oil Mist
Other

Client Sample # (S) Asbl - 21 Please see attached chains

TOTAL SAMPLE #

Relinquished: lead + 18
Received: mold + 2 @ us mail
Relinquished:
Received:

Date:
Time:
Date:
Time:
Date:
Time:
Date:
Time:

Stop after 1st positive for Asbestos

Thank you

SAMPLES ACCEPTED FOR ANALYSIS BY EMSL ANALYTICAL INC.

0461003800

FACILITY SUPPORT SERVICES, LLC

Asbestos Sampling Log

CLIENT: Town of Stonington

DATE: February 2, 2006

LOCATION: Pawcatuck Community Center

SAMPLED BY: Santo Manicone

SAMPLE ID	LOCATION	DESCRIPTION	AMOUNT
1	Activity Room	Sheetrock and compound	1800 sq. ft.
2	Activity Room	Sheetrock and compound	1800 sq. ft.
3	Activity Room	Sheetrock and compound	1800 sq. ft.
4	Activity Room	Light brown with black and white specks with black mastic 12''*12'' tile	640 sq. ft.
5	Activity Room	Light brown with black and white specks with black mastic 12''*12'' tile	640 sq. ft.
6	Activity Room	Light brown with black and white specks with black mastic 12''*12'' tile	640 sq. ft.
7	Activity Room	Brown with brown and white specks with yellow glue 12''*12'' tile	160 sq. ft.
8	Activity Room	Brown with brown and white specks with yellow glue 12''*12'' tile	160 sq. ft.
9	Activity Room	Brown with brown and white specks with yellow glue 12''*12'' tile	160 sq. ft.
10	Activity Room	Ceiling tile 2'*4'	720 sq. ft.
11	Activity Room	Ceiling tile 2'*4'	720 sq. ft.
12	Activity Room	Ceiling tile 2'*4'	720 sq. ft.
13	Children's Room	White with grey streaks with mastic 12''*12'' tile	2500 sq. ft.
14	Children's Room	White with grey streaks with mastic 12''*12'' tile	2500 sq. ft.
15	Children's Room	White with grey streaks with mastic 12''*12'' tile	2500 sq. ft.
16	Exterior Roof	Black shingles with paper and tar	2500 sq. ft.
17	Exterior Roof	Black shingles with paper and tar	2500 sq. ft.
18	Exterior Roof	Black shingles with paper and tar	2500 sq. ft.

RECEIVED
 WESTMONT, N.J.
 06 FEB 13 AM 11:00
 SAMPLES ACCEPTED
 FOR ANALYSIS BY

EMSL ANALYTICAL INC.

C40602800

FACILITY SUPPORT SERVICES, LLC

~~Asbestos Sampling Log~~

CLIENT: Town of Stonington

DATE: February 2, 2006

LOCATION: Pawcatuck Community Center

SAMPLED BY: Santo Manicone

SAMPLE ID	LOCATION	DESCRIPTION	AMOUNT
19	Exterior Gutter	Caulk white	30 linear feet
20	Exterior Gutter	Caulk white	30 linear feet
21	Exterior Gutter	Caulk white	30 linear feet

RECEIVED
EMSL
WESTMONT, N.J.
06 FEB 13 AM 11:00
SAMPLES ACCEPTED
FOR ANALYSIS BY
EMSL ANALYTICAL INC.



EMSL Analytical, Inc.

107 Haddon Ave., Westmont, NJ 08108

Phone: (856) 858-4800 Fax: (856) 858-4960 Email: westmontashlab@EMSL.com

Attn: **Kris Cramer**
Facility Support Services
2685 State Street
Hamden, CT 06517

Fax: (203) 248-4409 Phone: (203) 288-1281

Project:

Customer ID: FSS93
Customer PO:
Received: 02/13/06 11:00 AM
EMSL Order: 040602806

EMSL Prj:
Analysis Date: 2/19/2006
Report Date: 2/20/2006

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Sample	Location	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
1 040602806-0001	ACTIVITY ROOM	White Fibrous Heterogeneous	2% Cellulose 10% Glass	88% Non-fibrous (other)	None Detected
2 040602806-0002	ACTIVITY ROOM	White Fibrous Heterogeneous	2% Cellulose 10% Glass	88% Non-fibrous (other)	None Detected
3 040602806-0003	ACTIVITY ROOM	White Fibrous Heterogeneous	2% Cellulose 10% Glass	88% Non-fibrous (other)	None Detected
4 TILE 040602806-0004	ACTIVITY ROOM	Brcwn/Black Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
4 MASTIC 040602806-0022	ACTIVITY ROOM	Black Non-Fibrous Heterogeneous	5% Cellulose	95% Non-fibrous (other)	None Detected
5 TILE 040602806-0005	ACTIVITY ROOM	Brcwn/Black Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
5 MASTIC 040602806-0023	ACTIVITY ROOM	Black Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
6 TILE 040602806-0006	ACTIVITY ROOM	Brcwn/Black Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected

Analyst(s)

Will DiBella (31)

Stephen Siegel, CIH
or other approved signatory

Due to magnification limitations inherent in PLM, asbestos fibers in dimensions below the resolution capability of PLM may not be detected. Samples reported as <1% or none detected may require additional testing by TEM to confirm asbestos quantities. The above test report relates only to the items tested and may not be reproduced in any form without the express written approval of EMSL Analytical, Inc. EMSL's liability is limited to the cost of analysis. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. The test results contained within this report meet the requirements of NELAC unless otherwise noted.

Analysis performed by EMSL Westmont (NVLAP #101048-0), NY ELAP 10872



EMSL Analytical, Inc.

107 Haddon Ave., Westmont, NJ 08108

Phone: (856) 868-4000 Fax: (856) 868-4960 Email: westmontslab@EMSL.com

Attn: Kris Cramer
Facility Support Services
2685 State Street
Hamden, CT 06517

Customer ID: FSS93
Customer PO:
Received: 02/13/06 11:00 AM
EMSL Order: 040602806

Fax: (203) 248-4409 Phone: (203) 288-1281
Prject:

EMSL Prcj:
Analysis Date: 2/19/2006
Report Date: 2/20/2006

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Table with 6 columns: Sample, Location, Appearance, % Fibrous, % Non-Fibrous, Asbestos % Type. Contains 10 rows of sample data.

Analyst(s)
Will DiBella (31)

Signature of Stephen Siegel
Stephen Siegel, CIH
or other approved signatory

Due to magnification limitations inherent in PLM, asbestos fibers in dimensions below the resolution capability of PLM may not be detected. Samples reported as <1% or none detected may require additional testing by TEM to confirm asbestos quantities. The above test report relates only to the items tested and may not be reproduced in any form without the express written approval of EMSL Analytical, Inc. EMSL's liability is limited to the cost of analysis. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Analysis performed by EMSL Westmont (NVLAP #101048-0), NY ELAP 10872



EMSL Analytical, Inc.

107 Haddon Ave., Westmont, NJ 08108

Phone: (856) 858-4800 Fax: (856) 858-4960 Email: westmontslab@EMSL.com

Attn: **Kris Cramer**
Facility Support Services
2685 State Street
Hamden, CT 06517

Fax: (203) 248-4409 Phone: (203) 288-1281
Prject:


Customer ID: FSS93
Customer PO:
Received: 02/13/06 11:00 AM
EMSL Order: 040602806

EMSL Prcj:
Analysis Date: 2/19/2006
Report Date: 2/20/2006

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Sample	Location	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
11 040602806-0011	ACTIVITY ROOM	Gray/White Fibrous Heterogeneous	40% Cellulose 20% Min. Wool	40% Non-fibrous (other)	None Detected
12 040602806-0012	ACTIVITY ROOM	Gray/White Fibrous Heterogeneous	40% Cellulose 20% Min. Wool	40% Non-fibrous (other)	None Detected
13 TILE 040602806-0013	CHILDREN'S ROOM	Gray/White Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
13 MASTIC 040602806-0028	CHILDREN'S ROOM	Yellow Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
14 TILE 040602806-0014	CHILDREN'S ROOM	Gray/White Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
14 MASTIC 040602806-0029	CHILDREN'S ROOM	Yellow Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
15 TILE 040602806-0015	CHILDREN'S ROOM	Gray/White Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected
15 MASTIC 040602806-0030	CHILDREN'S ROOM	Yellow Non-Fibrous Heterogeneous		100% Non-fibrous (other)	None Detected

Analyst(s)
Will DiBella (31)


Stephen Siegel, CIH
or other approved signatory

Due to magnification limitations inherent in PLM, asbestos fibers in dimensions below the resolution capability of PLM may not be detected. Samples reported as <1% or none detected may require additional testing by TEM to confirm asbestos quantities. The above test report relates only to the items tested and may not be reproduced in any form without the express written approval of EMSL Analytical, Inc. EMSL's liability is limited to the cost of analysis. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Analysis performed by EMSL Westmont (NVLAP #101048-0), NY ELAP 10872



EMSL Analytical, Inc.

107 Haddon Ave., Westmont, NJ 08108

Phone: (856) 858-4900 Fax: (856) 858-4960 Email: westmontslab@EMSL.com

Attn: Kris Cramer
Facility Support Services
2685 State Street
Hamden, CT 06517

Customer ID: FSS93
Customer PO:
Received: 02/13/06 11:00 AM
EMSL Order: 040602806

Fax: (203) 248-4409 Phone: (203) 288-1281
Prject:

EMSL Prcj:
Analysis Date: 2/19/2006
Report Date: 2/20/2006

Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Table with 7 columns: Sample, Location, Appearance, % Fibrous, % Non-Fibrous, Asbestos % Type. Rows 16-22 showing exterior samples with various appearances and results.

Analyst(s)

Will DiBella (31)

Signature of Stephen Siegel

Stephen Siegel, CIH
or other approved signatory

Due to magnification limitations inherent in PLM, asbestos fibers in dimensions below the resolution capability of PLM may not be detected. Samples reported as <1% or none detected may require additional testing by TEM to confirm asbestos quantities. The above test report relates only to the items tested and may not be reproduced in any form without the express written approval of EMSL Analytical, Inc. EMSL's liability is limited to the cost of analysis. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Analysis performed by EMSL Westmont (NVLAP #101048-0), NY ELAP 10872



200602030

EMSL ANALYTICAL, Inc.

CHAIN OF CUSTODY

EMSL Ref:

Third Party Billing, receipt written authorization from third party

Your Name: KRIS CRAMER
Company: FSS
Street: 2685 State St
Box #:
City/State: Hamden CT Zip 06517

EMSL -Bill to: FSS
Street: 2685 State St
Box #:
City/State: Hamden CT Zip 06517

Phone Results to:
Name: Kris Cramer
Telephone #: 203 288 1281
Project Name/Number: 203 28105 Pawkatuc C.C

Fax Results to:
Name: Kris Cramer
Fax #: 203 248 4409
Purchase Order #:

TURNAROUND TIME 5 day for gel samples

3 Hours 6 Hours 12 Hours 24 Hours 48 Hours 72 Hours 4 Days 5 Days 6-10 Days

SAMPLE MATRIX

Air Bulk Soil Wipe Micro-Vac Drinking Water Wastewater Chips Other

ASBESTOS ANALYSIS

PCM - Air

- NIOSH 7400 (A) Issue 2: August 1994
OSHA w/TWA

TEM AIR

- AIERA 40 CFR, Part 763 Subpart E
NIOSH 7402 Issue 2
EPA Level II

PLM - Bulk

- EPA 600/R-93/116 (21)
NY Scatterd Point Count
California Air Resource Board (CARB) 455
NIOSH 9002
PLM NOB (Gravimetric) NYS 198.1
EPA Point Count (400 Points)
EPA Point Count (1,000 Points)
Standard Addition Point Count

SOILS

- EPA Protocol Qualitative
EPA Protocol Quantitative
EMSL MSD 9000 Method fibers/gram
Superfund EPA 540-R097-028 (dust generation)

TEM BULK

- Drop Mount (Qualitative)
Chatfield SOP-1988-02
TEM NOB (Gravimetric) NY 198.4

TEM MICROVAC

- ASTM D 5755 93 (Quantitative)

TEM WIPE

- ASTM D-6430-99
Qualitative

TEM WATER

- EPA 100.1
EPA 100.2
NYS 198.2

OTHER:

LEAD ANALYSIS

Flame Atomic Absorption

- Wipe, SW846-7426 ASTM non ASTM
Soil, SW846-7420
Air, NIOSH 7082

- Chips, SW846-7420 or AOAC 5.009 (974.02) (18)
Wastewater, SW 846-7420

- ICLP LEAD SW846-1311/7420

Graphite Furnace Atomic Absorption

- Air, NIOSH 7105
Wastewater, SW846-7421
Soil, SW846-7421
Drinking Water, EPA 239.2

ICP - Inductively Coupled Plasma

- Wipe, SW846-6010 ASTM non ASTM
Soil, SW846-6010
Air, NIOSH 7300

MATERIALS ANALYSIS

- Full Particle Identification
Optical Particle Identification
Dust Moes and Insect Fragments
Particle Size & Distribution
Product Comparison
Paint Characterization
Failure Analysis
Corrosion Analysis
Glove Box Containment Study
Petrographic Examination of Concrete
Portland Cement in Workplace Atmospheres (OSHA ID-143)
Man Made Vitreous Fibers - MMVF's
Synthetic Fiber Identification
Other

MICROBIAL ANALYSIS

Air Samples

- Mold & Fungi by Air O Cell
Mold & Fungi by Agar Plate count & id
Bacterial Count and Gram Stain
Bacterial Count and Identification

Water Samples

- Total Coliforms, Fecal Coliforms
Escherichia Coli, Fecal Streptococcus
Legionella
Salmonella
Giardia and Cryptosporidium

Wipe and Bulk Samples

- Mold & Fungi - Direct Examination (2)
Mold & Fungi - (Culture follow up to direct examination if necessary)
Mold & Fungi - Culture (Count & ID)
Mold & Fungi - Culture (Count only)
Bacterial Count & Gram Stain
Bacterial Count & Identification (3 most prominent types)
Other

IAQ ANALYSIS

- Nuisance Dust (NIOSH 0500 & 0600)
Airborne Dust (PM10, TSP, NIOSH 7500)
Silica Analysis by XRD
HVAC Efficiency
Carbon Black
Airborne Oil Mist
Other

WESTMONT, N.J.
EMSL
FEB 13 AM 8:16

Client Sample # (S) Asp1 - 21 Please see attached chains

TOTAL SAMPLE #

Relinquished: Lead 1-18
Received: Mold 1-2
Relinquished:
Received:

Date:
Date: 2/13/06
Date:
Date:
Time:
Time: 8:16A
Time:
Time:

Stop after 1st positive for Asbestos

Thank you



EMSL Analytical

3 Cooper St., Westmont, NJ 08108

Phone: (856) 858-4800 Fax: (856) 858-9551 Email: westmontleadlab@emsl.com

Attn: **Kris Cramer**
Facility Support Services
2685 State Street
Hamden, CT 06517

Fax: (203) 248-4409 Phone: (203) 288-1281
Project: Pawcatuck Community Center

Customer ID: FSS93
Customer PO:
Received: 02/13/06 8:16 AM
EMSL Order: 200602030

EMSL Proj:
Report Date: 2/20/2006

Lead in Paint Chips by Flame AAS (SW 846 3050B and 7420*)

Client Sample Description	Lab ID	Analyzed	Lead Concentration
1	0001	2/17/2006	<0.06 % wt
2	0002	2/17/2006	Insufficient % wt
3	0003	2/17/2006	Insufficient % wt
4	0004	2/17/2006	<0.07 % wt
5	0005	2/17/2006	<0.02 % wt
6	0006	2/17/2006	<0.07 % wt
7	0007	2/17/2006	<0.04 % wt
8	0008	2/17/2006	<0.08 % wt
9	0009	2/17/2006	<0.08 % wt
10	0010	2/17/2006	<0.06 % wt
11	0011	2/17/2006	Insufficient % wt
12	0012	2/17/2006	<0.07 % wt
13	0013	2/17/2006	<0.10 % wt
14	0014	2/17/2006	<0.02 % wt
15	0015	2/17/2006	<0.10 % wt
16	0016	2/17/2006	<0.08 % wt
17	0017	2/17/2006	<10.00 % wt
18	0018	2/17/2006	0.73 % wt

Laboratory Director
or other approved signatory

Reporting limit is 0.01 % wt. The QC data associated with these sample results included in this report meet the method quality control requirements, unless specifically indicated otherwise. Unless noted, results in this report are not blank corrected. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities.

* slight modifications to methods applied

ACCREDITATIONS: NJ-NELAP: 04653, AIHA Environmental Lead Laboratory Approval Program: 100194

FACILITY SUPPORT SERVICES, LLC

Lead Sampling Log

200602030

CLIENT: Town of Stonington DATE: February 2, 2006

LOCATION: Pawcatuck Community Center SAMPLED BY: Santo Manicone

SAMPLE NUMBER	LOCATION	DESCRIPTION	SAMPLE AREA (estimated size)
1	Activity Room	Wall Beige/Pink	Chip sample
2	Activity Room	Window varnish	Chip sample
3	Activity Room	Baseboard varnish	Chip sample
4	Activity Room	Heat Grate white	Chip sample
5	Activity Room	Above ceiling - wall white	Chip sample
6	Activity Room	Brown paint on 4 inch sill	Chip sample
7	Basement Children's Room	Sheetrock wall white	Chip sample
8	Basement Children's Room	Concrete wall off white	Chip sample
9	Basement Children's Room	Post yellow	Chip sample
10	Basement Children's Room	Mural - blue	Chip sample
11	Basement Children's Room	Red primer above ceiling	Chip sample
12	Basement Children's Room	Baseboard white	Chip sample
13	Basement Children's Room	Rear fire door red	Chip sample
14	Exterior	Rear door white	Chip sample
15	Exterior	Rear door jamb grey	Chip sample
16	Exterior	White clapboard	Chip sample
17	Exterior	Pink trim	Chip sample
18	Exterior	railing	Chip sample

02030
-1
2
3
7
1
6
7
9
10
11
12
13
14
15
16
17
18



EarthWise

Analytical Laboratory, LLC

Radon in Air Analysis Report

Report Date: February 10, 2006

TO: Mr. Gerald Gigliotti
Facility Support Services
2685 State Street
Hamden, CT 06517

Testing Address: Pawcatuck Neighborhood Center; 27 Chase Street, Pawcatuck, CT


Earthwise Canister #	Canister Placement Location	Placement Date/Time	Retrieval Date/Time	Result	Units	Analyst	Analysis Date
9933A	Basement-South End	2/6/06 1000	2/8/06 1000	2.0	pCi/L	MFB	2/10/06
9933B	Basement-South End	2/6/06 1000	2/8/06 1000	1.0	pCi/L	MFB	2/10/06

* Remedial action is recommended if the radon in air concentration is equal to or exceeds 4.0 pCi/L.

Report Certified By:
Michael F. Berman, Ph.D.
Laboratory Director
CT Certification PH-0227
NEHA-RPP ID#100198RT

Please call if you have any questions or require additional information.

pCi/L=picocuries per liter of air



EarthWise

Analytical Laboratory, LLC

Radon in Air Analysis Report

Report Date: February 10, 2006

TO: Mr. Gerald Gigliotti
Facility Support Services
2685 State Street
Hamden, CT 06517

Testing Address: Pawcatuck Neighborhood Center; 27 Chase Street, Pawcatuck, CT

<u>Earthwise Canister #</u>	<u>Canister Placement Location</u>	<u>Placement Date/Time</u>	<u>Retrieval Date/Time</u>	<u>Result</u>	<u>Units</u>	<u>Analyst</u>	<u>Analysis Date</u>
9934A	Basement-North End	2/6/06 1000	2/8/06 1000	<0.5	pCi/L	MFB	2/10/06
9934B	Basement-North End	2/6/06 1000	2/8/06 1000	1.0	pCi/L	MFB	2/10/06

* Remedial action is recommended if the radon in air concentration is equal to or exceeds 4.0 pCi/L.

Report Certified By:
Michael F. Berman, Ph.D.
Laboratory Director
CT Certification PH-0227
NEHA-RPP ID#100198ET

Please call if you have any questions or require additional information.

pCi/L=picocuries per liter of air



370601017

EMSL ANALYTICAL, Inc. CHAIN OF CUSTODY

EMSL Rep:

Third Party Billing requires written authorization from third party

Your Name: Kris Cramer
Company: FSS
Street: 2685 State St
Box #:
City/State: Hamden CT Zip 06517

EMSL-Bill to: FSS
Street: 2685 State St
Box #:
City/State: Hamden CT Zip 06517

Phone Results to: Name: Kris Cramer
Telephone #: 203 288 1281
Project Name/Number: 203 28105 Pawkatuc CC

Fax Results to: Name: Kris Cramer
Fax #: 203 248-4409
Purchase Order #:

TURNAROUND TIME 5 day for gel samples

Turnaround time options: 3 Hours, 6 Hours, 12 Hours, 24 Hours, 48 Hours, 72 Hours, 4 Days, 5 Days, 6-10 Days

SAMPLE MATRIX: Air, Bulk, Soil, Wipe, Micro-Vac, Drinking Water, Wastewater, Chips, Other

ASBESTOS ANALYSIS

- PCM - Air
NIOSH 7400 (A) Issue 2: August 1994
OSHA w/TWA
TEM AIR
AHERA 40 CFR, Part 763 Subpart E
NIOSH 7402 Issue 2
EPA Level II
PLM - Bulk
EPA 600/R-93/116 (21)
NY Stratified Point Count
California Air Resource Board (CARB) 435
NIOSH 9002
PLM NOB (Gravimetric) NYS 198.1
EPA Point Count (400 Points)
EPA Point Count (1,000 Points)
Standard Addition Point Count
SOILS
EPA Protocol Qualitative
EPA Protocol Quantitative
EMSL MSD 9000 Method fibers/gram
Superfund EPA 540-R097-028 (dust generation)
TEM BULK
Drop Mount (Qualitative)
Chatfield SOP-1988-02
TEM NOB (Gravimetric) NY 198.4
TEM MICROVAC
ASTM D 5755-95 (Quantitative)
TEM WIPE
ASTM D-6480-99
Qualitative
TEM WATER
EPA 160.1
EPA 160.2
NYS 198.2

LEAD ANALYSIS

- Flame Atomic Absorption
Wipe, SW846-7420 ASTM non ASTM
Soil, SW846-7420
Air, NIOSH 7082
Chips, SW846-7420 or AOAC 5.009 (974.02) (18)
Wastewater, SW 846-7420
TCLP LEAD SW846-1311/7420
Graphite Furnace Atomic Absorption
Air, NIOSH 7105
Wastewater, SW846-7421
Soil, SW846-7421
Drinking Water, EPA 239.2
ICP - Inductively Coupled Plasma
Wipe, SW846-6010 ASTM non ASTM
Soil, SW846-6010
Air, NIOSH 7300

MATERIALS ANALYSIS

- Full Particle Identification
Optical Particle Identification
Dust Mites and Insect Fragments
Particle Size & Distribution
Product Comparison
Paint Characterization
Failure Analysis
Corrosion Analysis
Glove Box Containment Study
Petrographic Examination of Concrete
Portland Cement in Workplace Atmospheres (OSHA ID-143)
Man Made Vitreous Fibers - MMVF's
Synthetic Fiber Identification
Other

MICROBIAL ANALYSIS

- Air Samples
Mold & Fungi by Air O Cell
Mold & Fungi by Agar Plate count & id
Bacterial Count and Gram Stain
Bacterial Count and Identification
Water Samples
Total Coliforms, Fecal Coliforms
Escherichia Coli, Fecal Streptococcus
Legionella
Salmonella
Giardia and Cryptosporidium
Wipe and Bulk Samples
Mold & Fungi - Direct Examination (2)
Mold & Fungi - (Culture follow up to direct examination if necessary)
Mold & Fungi - Culture (Count & ID)
Mold & Fungi - Culture (Count only)
Bacterial Count & Gram Stain
Bacterial Count & Identification (3 most predominant types)
Other

IAQ ANALYSIS

- Nuisance Dust (NIOSH 0500 & 0600)
Airborne Dust (PM10, TSP)
Silica Analysis by XRD - NIOSH 7500
HVAC Efficiency
Carbon Black
Airborne Oil Mist
Other

Client Sample # (S) Asbl - 21 Please see attached chains

TOTAL SAMPLE #

Relinquished: Lead 18, Mold 12
Received:
Relinquished:
Received:

Date:
Date:
Date:
Date:
Time:
Time:
Time:
Time:
Page 1 of 3

Stop after 1st positive for Asbestos

Thank you

received

MOLD SAMPLE LOG

Date: 2/6/06
Time: 11:50 am


Project#: 28105

Location/Building: Pawcatuck Community Center

5 Day Turnaround Time

Sample #	Sample Location	Analysis Required
1	Utility Room	Mold ID by direct exam M041
2	Exterior Clapboard	Mold ID by direct exam M041

Collected By: Kris Cramer

Relinquish by: 
Date: _____

RECEIVED
EMSL
WESTMONT, N.J.
06 FEB 13 AM 11:00



EMSL Analytical, Inc.

107 Haddon Avenue, Westmont, NJ 08108

Phone: (856) 858-4800 Fax: 8568580648 Email: westmontmicro@emsl.com

Attn: **Kris Cramer**
Facility Support Services
2685 State Street
Hamden, CT 06517

Customer ID: FSS93
Customer PO:
EMSL Order: 370601017
EMSL Proj:
Received: 02/13/2006 9:35 AM
Analysis Date: 02/15/2006
Report Date: 02/15/2006

Project:
Fax: (203) 248-4409 Phone: (203) 288-1281

Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, and Other Particulates from Tape Samples (EMSL Method: M041)

Lab Sample Number:	370601017-0001	370601017-0002			
Client Sample ID:	1	2			
Sample Location:	Utility Room	Exterior Clapboard			
Spore Types	Category	Category	Category	Category	Category
Agrocybe/Coprinus	-	-			
Alternaria	-	-			
Arthrinium	-	-			
Arthrospores	-	-			
Ascospores	-	-			
Aspergillus/Penicillium	Medium	-			
Basidiospores	-	-			
Bipolaris	-	-			
Chaetomium	-	-			
Cladosporium	-	*High*			
Curvularia	-	-			
Dicyma	*High*	-			
Epicoccum	-	-			
Fusarium	-	-			
Ganoderma	-	-			
Myxomycete	-	-			
Paecilomyces	-	-			
Pithomyces/Ulocladium	-	-			
Rust	-	-			
Scopulariopsis	-	-			
Stachybotrys	-	-			
Torula	-	-			
Unidentifiable Spores	-	-			
Zygomycetes	-	-			
Fibrous Particulate	-	-			
Hyphal Fragment	-	-			
Insect Fragment	-	-			
Pollen	-	-			
Sample Notes:					

No discernable field blank was submitted with this group of samples.
* Sample contains fruiting structures and/or hyphae associated with the spores.
ACCREDITATIONS: AIHA EMLAP #100194.

Jason Dobranic, Ph.D.
or other approved signatory

Category : Count
Rare : 1 to 10, Low : 11 To 100
Medium : 101 to 1000, High: > 1000

For information on the fungi listed in this report please visit the Resources section at www.emsl.com

M041-F1

THIS IS THE LAST PAGE OF THE REPORT.

APPENDIX F
Site Limitations

SITE ASSESSMENT LIMITATIONS

(Phase I Environmental Site Assessment)

- 1) The observations described in this report were made under the conditions stated therein. The conclusions presented in the report were based solely upon the services described therein and not on scientific tasks or procedures beyond the scope of described services or the time and budgetary constraints imposed by the Client.
- 2) In preparing this report, FSS has relied on certain information provided by State and local officials and other parties referenced therein, and on information contained in the files of State and/or local agencies available to FSS at the time of the site assessment. Although there may have been some degree of overlap in the information provided by these various sources FSS did not attempt to independently verify the accuracy or completeness of all information reviewed or received during the course of this site assessment.
- 3) In the event that bank counsel or title examiner for the Client obtains information on environmental or hazardous waste issues at the site not contained in this report, such information shall be brought to FSS's attention forthwith. FSS will evaluate such information and, on the basis of this evaluation, may modify the conclusions stated in this report.
- 4) Observations were made of the site and of structures on the site as indicated within the report. Where access to portions of the site or to structures on the site was unavailable or limited, FSS renders no opinion as to the presence of hazardous material or oil, or to the presence of indirect evidence relating to hazardous material or oil, in that portion of the site or structure. In addition, FSS renders no opinion as to the presence of hazardous material or oil, or to the presence of indirect evidence relating to hazardous material or oil where direct observation of the interior walls, floor, or ceiling of a structure on a site was obstructed by objects or coverings on or over these surfaces.
- 5) Unless otherwise specified in the report, FSS did not perform testing or analyses to determine the presence or concentration of asbestos or polychlorinated biphenyls (PCB's) at the site or in the environment at the site.
- 6) The purpose of this report was to assess the physical characteristics of the Site with specific attempt was made to check on the compliance of present or past owners or operators of the site with Federal, State, or local laws and regulations, environmental or otherwise.